







## NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
<b>0.06</b>	280.0	1.8	6.2	5	<b>NMRV025</b>	<b>56A4</b>	439	<b>280</b>
	186.7	2.6	4.2	7.5			503	
	140.0	3.4	3.5	10			553	
	93.3	4.9	2.5	15			633	
	70.0	6.1	2.0	20			697	
	46.7	8.2	1.6	30			798	
	35.0	10	1.3	40			878	
	28.0	12	0.9	50			946	
23.3	14	0.7	60	1006				
	180.0	2.7	4.8	5	<b>NMRV025</b>	<b>56B6</b>	509	<b>280</b>
	120.0	4.0	3.2	7.5			583	
	90.0	5.2	2.7	10			641	
	60.0	7.4	1.9	15			734	
	45.0	9.3	1.4	20			808	
	30.0	12	1.2	30			925	
	22.5	15	0.9	40			1018	
	18.0	18	0.7	50			1096	
	280.0	1.8	10.1	5	<b>NMRV030</b>	<b>56A4</b>	597	<b>281</b>
	186.7	2.6	6.9	7.5			683	
	140.0	3.4	5.4	10			752	
	93.3	4.7	3.8	15			861	
	70.0	6.0	3.0	20			948	
	56.0	7.0	3.0	25			1021	
	46.7	8.0	2.5	30			1085	
	35.0	9.7	1.9	40			1194	
	28.0	11	1.5	50			1286	
	23.3	13	1.3	60			1367	
	17.5	14	0.9	80	1504			
	15.0	18	0.9	60	<b>NMRV030</b>	<b>56B6</b>	1583	<b>281</b>
	14.0	25	1.3	100				
	9.3	32	0.9	150	<b>NMRV025/030</b>	<b>56A4</b>	1620	<b>296</b>
	7.0	41	0.7	200			1830	
	5.6	44	0.8	250			1830	
	18.0	18	2.3	50	<b>NMRV040</b>	<b>56B6</b>	2868	<b>282</b>
	15.0	21	1.9	60			3047	
	11.3	24	1.4	80			3354	
	9.0	27	1.2	100			3490	
	4.7	59	1.2	300	<b>NMRV025/040</b>	<b>56A4</b>	3490	<b>296</b>
	3.5	71	0.9	400			3490	
	2.8	82	0.7	500			3490	
	2.3	101	0.6	600			3490	
	1.9	116	0.5	750			3490	
	1.6	143	0.5	900			3490	
	1.2	171	0.4	1200			3490	
	0.9	197	0.3	1500			3490	
	0.8	217	0.3	1800			3490	
	0.6	268	0.2	2400			3490	
	0.5	324	0.2	3000			3490	
	0.4	294	0.1	4000			3490	
	0.3	356	0.1	5000			3490	
	4.7	57	1.3	300	<b>NMRV030/040</b>	<b>56A4</b>	3490	<b>297</b>
	3.5	70	0.9	400			3490	
	2.8	96	0.6	500			3490	
	2.3	104	0.7	600			3490	



**Prestazioni / Performance / Leistungen / Performances / Prestaciones**
**NMRV**



<b>P1</b> (kW)	<b>n2</b> (1/min)	<b>M2</b> (Nm)	<b>f.s.</b>	<b>i</b>	<b>Grandezza, Size, Größe, Taille, Tamaño</b>		<b>Fr2</b> (N)				
<b>0.06</b>	1.9	121	0.6	750	<b>NMRV030/040</b>	<b>56A4</b>	3490	<b>297</b>			
	1.6	139	0.5	900			3490				
	1.2	166	0.4	1200			3490				
	0.9	196	0.4	1500			3490				
	0.8	218	0.3	1800			3490				
	0.58	261	0.2	2400			3490				
	0.4	300	0.2	3200			3490				
	0.4	279	0.1	4000			3490				
	0.28	338	0.1	5000			3490				
	1.6	141	1.0	900	<b>NMRV030/050</b>	<b>56A4</b>	4840	<b>297</b>			
	1.2	169	0.7	1200			4840				
	0.93	199	0.7	1500			4840				
	0.78	222	0.7	1800			4840				
	0.6	266	0.5	2400			4840				
	0.5	307	0.4	3000			4840				
	0.35	288	0.3	4000			4840				
	0.29	311	0.3	4800			4840				
		0.9	204	1.1			1500		<b>NMRV030/063</b>	<b>56A4</b>	6270
0.78		225	0.9	1800	6270						
0.58		276	0.8	2400	6270						
0.47		319	0.7	3000	6270						
0.35		306	0.6	4000	6270						
0.28		360	0.4	5000	6270						
	0.6	330	1.1	2400	<b>NMRV040/075</b>	<b>56A4</b>	7380	<b>298</b>			
	0.47	377	0.8	3000			7380				
	0.35	355	0.7	4000			7380				
	0.28	419	0.5	5000			7380				
	0.5	406	1.4	3000	<b>NMRV040/090</b>	<b>56A4</b>	8180	<b>298</b>			
	0.35	365	1.3	4000			8180				
	0.28	431	1.0	5000			8180				
<b>0.09</b>	560.0	1.4	5.9	5	<b>NMRV025</b>	<b>56A2</b>	349	<b>280</b>			
	373.3	2.0	3.9	7.5			399				
	280.0	2.6	3.4	10			439				
	186.7	3.8	2.4	15			503				
	140.0	4.9	1.9	20			553				
	93.3	6.7	1.3	30			633				
	70.0	8.3	1.1	40			697				
	56.0	10	0.9	50			751				
	280.0	2.7	4.1	5			<b>NMRV025</b>		<b>56B4</b>	439	<b>280</b>
	186.7	3.9	2.8	7.5						503	
	140.0	5.1	2.4	10						553	
	93.3	7.3	1.6	15						633	
70.0	9.2	1.3	20	697							
46.7	12	1.1	30	798							
35.0	15	0.9	40	878							
560.0	1.4	8.8	5	<b>NMRV030</b>	<b>56A2</b>	474	<b>281</b>				
373.3	2.0	6.5	7.5			542					
280.0	2.6	5.0	10			597					
186.7	3.7	3.5	15			683					
140.0	4.8	2.5	20			752					
112.0	5.7	2.8	25			810					
93.3	6.5	2.3	30			861					
70.0	8.1	1.7	40			948					
56.0	10	1.4	50	1021							




## NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
<b>0.09</b>	46.7	11	1.1	60	<b>NMRV030</b>	<b>56A2</b>	1085	<b>281</b>
	35.0	13	0.9	80			1194	
	280.0	2.7	6.7	5	<b>NMRV030</b>	<b>56B4</b>	597	<b>281</b>
	186.7	3.9	4.6	7.5			683	
	140.0	5.0	3.6	10			752	
	93.3	7.1	2.5	15			861	
	70.0	9.0	2.0	20			948	
	56.0	10	2.0	25			1021	
	46.7	12	1.7	30			1085	
	35.0	14	1.2	40			1194	
28.0	17	1.0	50	1286				
23.3	19	0.9	60	1367				
180.0	4.1	4.9	5	<b>NMRV030</b>	<b>63A6</b>	692	<b>281</b>	
120.0	5.9	3.4	7.5			792		
90.0	7.6	2.6	10			871		
60.0	11	1.9	15			997		
45.0	13	1.5	20			1098		
36.0	15	1.5	25			1183		
30.0	17	1.2	30			1257		
22.5	21	1.0	40			1383		
18.0	24	0.7	50			1490		
28.0	20	1.6	100			<b>NMRV025/030</b>		<b>56A2</b>
18.7	25	1.1	150	1472				
14.0	33	0.9	200	1620				
14.0	38	0.8	100	<b>NMRV025/030</b>	<b>56B4</b>	1620	<b>296</b>	
9.3	49	0.6	150			1830		
7.0	62	0.5	200			1830		
5.6	66	0.5	250			1830		
4.7	75	0.4	300			1830		
3.5	107	0.3	400			1830		
2.8	115	0.3	500			1830		
2.3	135	0.2	600			1830		
1.9	151	0.2	750			1830		
1.6	178	0.2	900			1830		
1.2	212	0.1	1200			1830		
0.9	247	0.1	1500			1830		
0.78	304	0.1	1800			1830		
0.58	340	0.1	2400			1830		
0.47	405	0.1	3000			1830		
28.0	19	2.0	50	<b>NMRV040</b>	<b>56B4</b>	2475	<b>282</b>	
23.3	21	1.7	60			2630		
17.5	26	1.3	80			2895		
14.0	29	1.0	100			3118		
30.0	19	2.6	30	<b>NMRV040</b>	<b>63A6</b>	2419	<b>282</b>	
22.5	24	1.9	40			2662		
18.0	27	1.5	50			2868		
15.0	31	1.3	60			3047		
11.3	37	1.0	80			3354		
9.0	41	0.8	100			3490		
12.0	47	1.3	75			<b>PC063+NMRV040</b>		<b>63A6</b>
10.0	51	1.4	90	3488				
7.5	62	1.1	120	3490				



**Prestazioni / Performance / Leistungen / Performances / Prestaciones**
**NMRV**



<b>P1</b> (kW)	<b>n2</b> (1/min)	<b>M2</b> (Nm)	<b>f.s.</b>	<b>i</b>	Grandezza, Size, Größe, Taille, Tamaño		<b>Fr2</b> (N)	
<b>0.09</b>	6.0	72	0.8	150	<b>PC063+NMRV040</b>	<b>63A6</b>	3490	<b>291</b>
	5.0	79	0.7	180			3490	
	9.3	45	1.6	300	<b>NMRV025/040</b>	<b>56A2</b>	3490	<b>296</b>
	7.0	54	1.2	400			3490	
	5.6	77	0.8	500			3490	
	4.7	88	0.8	300	<b>NMRV030/040</b>	<b>56B4</b>	3490	<b>297</b>
	15.0	32	2.3	60	<b>NMRV050</b>	<b>63A6</b>	4183	<b>283</b>
	11.3	37	1.8	80			4604	
	9.0	42	1.3	100			4840	
	6.0	73	1.6	150	<b>PC063+NMRV050</b>	<b>63A6</b>	4840	<b>291</b>
	5.0	81	1.3	180			4840	
	3.8	94	0.9	240			4840	
	3.0	106	0.7	300			4840	
	3.5	107	1.2	400	<b>NMRV030/050</b>	<b>56B4</b>	4840	<b>297</b>
	2.8	123	1.0	500			4840	
	2.3	159	0.9	600			4840	
	1.9	185	0.8	750			4840	
	1.6	212	0.7	900			4840	
3.8	99	1.7	240	<b>PC063+NMRV063</b>	<b>63A6</b>	6270	<b>292</b>	
3.0	109	1.4	300			6270		
1.6	200	1.0	900	<b>NMRV030/063</b>	<b>56B4</b>	6270	<b>297</b>	
1.2	263	0.9	1200			6270		
0.93	305	0.7	1500			6270		
0.9	360	1.1	1500	<b>NMRV040/075</b>	<b>56B4</b>	7380	<b>298</b>	
0.78	404	1.0	1800			7380		
0.58	496	0.7	2400			7380		
0.5	609	0.9	3000	<b>NMRV040/090</b>	<b>56B4</b>	8180	<b>298</b>	
0.35	548	0.8	4000			8180		
<b>0.12</b>	560.0	1.8	4.4	5	<b>NMRV025</b>	<b>56B2</b>	349	<b>280</b>
	373.3	2.7	3.0	7.5			399	
	280.0	3.5	2.6	10			439	
	186.7	5.0	1.8	15			503	
	140.0	6.5	1.4	20			553	
	93.3	9.0	1.0	30			633	
	70.0	11	0.8	40			697	
	280.0	3.6	5.1	5	<b>NMRV030</b>	<b>63A4</b>	597	<b>281</b>
	186.7	5.2	3.4	7.5			683	
	140.0	6.7	2.7	10			752	
	93.3	9.5	1.9	15			861	
	70.0	12	1.5	20			948	
	56.0	14	1.5	25			1021	
	46.7	16	1.3	30			1085	
	35.0	19	0.9	40			1194	
	28.0	23	0.8	50			1286	
	180.0	5.4	3.7	5			<b>NMRV030</b>	
	120.0	7.9	2.5	7.5	792			
	90.0	10	2.0	10	871			
	60.0	14	1.4	15	997			
	45.0	18	1.1	20	1098			




## NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)																																																																																																																																																																																																																																																																																	
<b>0.12</b>	36.0	20	1.1	25	<b>NMRV030</b>	<b>63B6</b>	1183	<b>281</b>																																																																																																																																																																																																																																																																																
	30.0	23	0.9	30			1257			46.7	17	2.6	30	<b>NMRV040</b>	<b>63A4</b>	2087	<b>282</b>		35.0	21	1.9	40	2298		28.0	25	1.5	50	2475		23.3	28	1.3	60	2630		17.5	34	1.0	80	2895		14.0	38	0.8	100	3118		30.0	25	1.9	30	<b>NMRV040</b>	<b>63B6</b>	2419	<b>282</b>		22.5	32	1.4	40	2662		18.0	36	1.2	50	2868		15.0	41	0.9	60	3047		18.7	42	1.2	75	<b>PC063+NMRV040</b>	<b>63A4</b>	2833	<b>291</b>		15.6	46	1.2	90	3011		11.7	57	0.9	120	3314		9.3	66	0.7	150	3490		7.8	74	0.6	180	3490		12.0	62	1.0	75	<b>PC063+NMRV040</b>	<b>63B6</b>	3283	<b>291</b>		10.0	68	1.1	90	3488		7.5	83	0.8	120	3490		23.3	29	2.3	60	<b>NMRV050</b>	<b>63A4</b>	3610	<b>283</b>		17.5	35	1.9	80	3973		14.0	40	1.4	100	4280		22.5	32	2.6	40	<b>NMRV050</b>	<b>63B6</b>	3654	<b>283</b>		18.0	38	2.0	50	3936		15.0	42	1.7	60	4183		11.3	50	1.4	80	4604		9.0	56	1.0	100	4840		9.3	68	1.3	150	<b>PC063+NMRV050</b>	<b>63A4</b>	4840	<b>291</b>		7.8	75	1.1	180	4840		5.8	88	0.8	240	4840		4.7	98	0.7	300	4840		12.0	63	1.7	75	<b>PC063+NMRV050</b>	<b>63B6</b>	4506	<b>291</b>		10.0	70	2.1	90	4788		7.5	84	1.5	120	4840		6.0	97	1.2	150	4840		5.0	108	1.0	180	4840		3.8	125	0.7	240	4840		4.7	119	1.2	300	<b>NMRV030/050</b>	<b>63A4</b>	4840	<b>297</b>		3.5	142	0.9	400	4840		2.8	164	0.7	500	4840		5.8	92	1.5	240	<b>PC063+NMRV063</b>	<b>63A4</b>	6270	<b>292</b>		4.7
	46.7	17	2.6	30	<b>NMRV040</b>	<b>63A4</b>	2087	<b>282</b>																																																																																																																																																																																																																																																																																
	35.0	21	1.9	40			2298																																																																																																																																																																																																																																																																																	
	28.0	25	1.5	50			2475																																																																																																																																																																																																																																																																																	
	23.3	28	1.3	60			2630																																																																																																																																																																																																																																																																																	
	17.5	34	1.0	80			2895																																																																																																																																																																																																																																																																																	
	14.0	38	0.8	100			3118			30.0	25	1.9	30	<b>NMRV040</b>	<b>63B6</b>	2419	<b>282</b>		22.5	32	1.4	40	2662		18.0	36	1.2	50	2868		15.0	41	0.9	60	3047		18.7	42	1.2	75	<b>PC063+NMRV040</b>	<b>63A4</b>	2833	<b>291</b>		15.6	46	1.2	90	3011		11.7	57	0.9	120	3314		9.3	66	0.7	150	3490		7.8	74	0.6	180	3490		12.0	62	1.0	75	<b>PC063+NMRV040</b>	<b>63B6</b>	3283	<b>291</b>		10.0	68	1.1	90	3488		7.5	83	0.8	120	3490		23.3	29	2.3	60	<b>NMRV050</b>	<b>63A4</b>	3610	<b>283</b>		17.5	35	1.9	80	3973		14.0	40	1.4	100	4280		22.5	32	2.6	40	<b>NMRV050</b>	<b>63B6</b>	3654	<b>283</b>		18.0	38	2.0	50	3936		15.0	42	1.7	60	4183		11.3	50	1.4	80	4604		9.0	56	1.0	100	4840		9.3	68	1.3	150	<b>PC063+NMRV050</b>	<b>63A4</b>	4840	<b>291</b>		7.8	75	1.1	180	4840		5.8	88	0.8	240	4840		4.7	98	0.7	300	4840		12.0	63	1.7	75	<b>PC063+NMRV050</b>	<b>63B6</b>	4506	<b>291</b>		10.0	70	2.1	90	4788		7.5	84	1.5	120	4840		6.0	97	1.2	150	4840		5.0	108	1.0	180	4840		3.8	125	0.7	240	4840		4.7	119	1.2	300			<b>NMRV030/050</b>		<b>63A4</b>	4840	<b>297</b>		3.5	142	0.9	400	4840		2.8	164	0.7	500	4840		5.8	92	1.5	240	<b>PC063+NMRV063</b>	<b>63A4</b>	6270	<b>292</b>		4.7	103	1.2	300	6270																																
	30.0	25	1.9	30	<b>NMRV040</b>	<b>63B6</b>	2419	<b>282</b>																																																																																																																																																																																																																																																																																
	22.5	32	1.4	40			2662																																																																																																																																																																																																																																																																																	
	18.0	36	1.2	50			2868																																																																																																																																																																																																																																																																																	
	15.0	41	0.9	60			3047			18.7	42	1.2	75	<b>PC063+NMRV040</b>	<b>63A4</b>	2833	<b>291</b>		15.6	46	1.2	90	3011		11.7	57	0.9	120	3314		9.3	66	0.7	150	3490		7.8	74	0.6	180			3490			12.0	62	1.0	75	<b>PC063+NMRV040</b>	<b>63B6</b>	3283	<b>291</b>		10.0	68	1.1	90	3488		7.5	83	0.8	120	3490		23.3	29	2.3	60	<b>NMRV050</b>	<b>63A4</b>	3610	<b>283</b>		17.5	35	1.9	80	3973		14.0	40	1.4	100	4280		22.5	32	2.6	40	<b>NMRV050</b>	<b>63B6</b>	3654	<b>283</b>		18.0	38	2.0	50	3936		15.0	42	1.7	60	4183		11.3	50	1.4	80	4604		9.0			56		1.0	100	4840		9.3	68	1.3	150	<b>PC063+NMRV050</b>	<b>63A4</b>	4840	<b>291</b>		7.8	75	1.1	180	4840		5.8	88	0.8	240	4840		4.7	98	0.7	300	4840		12.0	63	1.7	75	<b>PC063+NMRV050</b>	<b>63B6</b>	4506	<b>291</b>		10.0	70	2.1	90	4788		7.5	84	1.5	120	4840		6.0	97	1.2	150			4840			5.0	108	1.0	180	4840		3.8	125	0.7	240	4840		4.7	119	1.2	300	<b>NMRV030/050</b>	<b>63A4</b>	4840	<b>297</b>		3.5	142	0.9	400	4840		2.8	164	0.7	500	4840		5.8	92	1.5	240	<b>PC063+NMRV063</b>	<b>63A4</b>	6270	<b>292</b>		4.7	103	1.2	300	6270																																																					
	18.7	42	1.2	75	<b>PC063+NMRV040</b>	<b>63A4</b>	2833	<b>291</b>																																																																																																																																																																																																																																																																																
	15.6	46	1.2	90			3011																																																																																																																																																																																																																																																																																	
	11.7	57	0.9	120			3314																																																																																																																																																																																																																																																																																	
	9.3	66	0.7	150			3490																																																																																																																																																																																																																																																																																	
	7.8	74	0.6	180			3490			12.0	62	1.0	75	<b>PC063+NMRV040</b>	<b>63B6</b>	3283	<b>291</b>		10.0	68	1.1	90	3488		7.5	83	0.8	120	3490		23.3	29	2.3	60	<b>NMRV050</b>	<b>63A4</b>	3610	<b>283</b>		17.5	35	1.9	80	3973		14.0	40	1.4	100	4280		22.5	32	2.6	40	<b>NMRV050</b>	<b>63B6</b>	3654	<b>283</b>		18.0	38	2.0	50	3936		15.0	42	1.7	60	4183		11.3	50	1.4	80	4604		9.0	56	1.0	100	4840		9.3	68	1.3	150	<b>PC063+NMRV050</b>	<b>63A4</b>	4840			<b>291</b>			7.8	75	1.1	180	4840		5.8	88	0.8	240	4840		4.7	98	0.7	300	4840		12.0	63	1.7	75	<b>PC063+NMRV050</b>	<b>63B6</b>	4506	<b>291</b>		10.0	70	2.1	90	4788		7.5	84	1.5	120	4840		6.0	97	1.2	150	4840		5.0	108	1.0	180	4840		3.8	125	0.7	240	4840		4.7			119		1.2	300	<b>NMRV030/050</b>	<b>63A4</b>	4840	<b>297</b>		3.5	142	0.9	400	4840		2.8	164	0.7	500	4840		5.8	92	1.5	240	<b>PC063+NMRV063</b>	<b>63A4</b>	6270	<b>292</b>		4.7	103	1.2	300	6270																																																																																									
	12.0	62	1.0	75	<b>PC063+NMRV040</b>	<b>63B6</b>	3283	<b>291</b>																																																																																																																																																																																																																																																																																
	10.0	68	1.1	90			3488																																																																																																																																																																																																																																																																																	
	7.5	83	0.8	120			3490			23.3	29	2.3	60	<b>NMRV050</b>	<b>63A4</b>	3610	<b>283</b>		17.5	35	1.9	80	3973		14.0	40	1.4	100	4280		22.5	32	2.6	40	<b>NMRV050</b>	<b>63B6</b>	3654	<b>283</b>		18.0	38	2.0	50	3936		15.0	42	1.7	60	4183		11.3	50	1.4	80			4604			9.0	56	1.0	100	4840		9.3	68	1.3	150	<b>PC063+NMRV050</b>	<b>63A4</b>	4840	<b>291</b>		7.8	75	1.1	180	4840		5.8	88	0.8	240	4840		4.7			98	0.7	300		4840		12.0	63	1.7	75	<b>PC063+NMRV050</b>	<b>63B6</b>	4506	<b>291</b>		10.0	70	2.1	90	4788		7.5	84	1.5	120	4840		6.0			97		1.2	150	4840		5.0	108	1.0	180	4840		3.8	125	0.7	240	4840		4.7	119	1.2	300	<b>NMRV030/050</b>	<b>63A4</b>	4840	<b>297</b>		3.5	142	0.9	400	4840		2.8	164	0.7	500	4840		5.8	92	1.5	240	<b>PC063+NMRV063</b>	<b>63A4</b>	6270	<b>292</b>		4.7	103	1.2	300	6270																																																																																																											
	23.3	29	2.3	60	<b>NMRV050</b>	<b>63A4</b>	3610	<b>283</b>																																																																																																																																																																																																																																																																																
	17.5	35	1.9	80			3973																																																																																																																																																																																																																																																																																	
	14.0	40	1.4	100			4280			22.5	32	2.6	40	<b>NMRV050</b>	<b>63B6</b>	3654	<b>283</b>		18.0	38	2.0	50	3936		15.0	42	1.7	60	4183		11.3	50	1.4	80			4604			9.0	56	1.0	100	4840		9.3	68	1.3	150	<b>PC063+NMRV050</b>	<b>63A4</b>	4840	<b>291</b>		7.8	75	1.1	180	4840		5.8	88	0.8	240	4840		4.7	98	0.7	300			4840			12.0	63	1.7	75	<b>PC063+NMRV050</b>	<b>63B6</b>	4506	<b>291</b>		10.0	70	2.1	90	4788		7.5	84	1.5	120	4840		6.0	97	1.2	150			4840			5.0	108	1.0	180	4840		3.8	125	0.7	240	4840		4.7			119		1.2	300	<b>NMRV030/050</b>	<b>63A4</b>	4840	<b>297</b>		3.5	142	0.9	400	4840		2.8	164	0.7	500	4840		5.8	92	1.5	240	<b>PC063+NMRV063</b>	<b>63A4</b>	6270	<b>292</b>		4.7	103	1.2	300	6270																																																																																																																													
	22.5	32	2.6	40	<b>NMRV050</b>	<b>63B6</b>	3654	<b>283</b>																																																																																																																																																																																																																																																																																
	18.0	38	2.0	50			3936																																																																																																																																																																																																																																																																																	
	15.0	42	1.7	60			4183																																																																																																																																																																																																																																																																																	
	11.3	50	1.4	80			4604																																																																																																																																																																																																																																																																																	
	9.0	56	1.0	100			4840																																																																																																																																																																																																																																																																																	
	9.3	68	1.3	150			<b>PC063+NMRV050</b>		<b>63A4</b>	4840	<b>291</b>																																																																																																																																																																																																																																																																													
	7.8	75	1.1	180	4840																																																																																																																																																																																																																																																																																			
	5.8	88	0.8	240	4840																																																																																																																																																																																																																																																																																			
	4.7	98	0.7	300	4840			12.0		63		1.7	75	<b>PC063+NMRV050</b>	<b>63B6</b>	4506	<b>291</b>		10.0	70	2.1	90	4788		7.5	84	1.5	120	4840		6.0	97	1.2	150	4840		5.0	108	1.0	180	4840		3.8	125	0.7	240	4840		4.7	119	1.2	300	<b>NMRV030/050</b>	<b>63A4</b>	4840	<b>297</b>		3.5	142	0.9	400	4840		2.8	164	0.7	500	4840		5.8	92	1.5	240	<b>PC063+NMRV063</b>	<b>63A4</b>	6270	<b>292</b>		4.7	103	1.2	300	6270																																																																																																																																																																																																					
	12.0	63	1.7	75	<b>PC063+NMRV050</b>	<b>63B6</b>	4506	<b>291</b>																																																																																																																																																																																																																																																																																
	10.0	70	2.1	90			4788																																																																																																																																																																																																																																																																																	
	7.5	84	1.5	120			4840																																																																																																																																																																																																																																																																																	
	6.0	97	1.2	150			4840																																																																																																																																																																																																																																																																																	
	5.0	108	1.0	180			4840																																																																																																																																																																																																																																																																																	
	3.8	125	0.7	240			4840																																																																																																																																																																																																																																																																																	
	4.7	119	1.2	300			<b>NMRV030/050</b>		<b>63A4</b>	4840	<b>297</b>																																																																																																																																																																																																																																																																													
	3.5	142	0.9	400	4840																																																																																																																																																																																																																																																																																			
	2.8	164	0.7	500	4840			5.8		92		1.5	240	<b>PC063+NMRV063</b>	<b>63A4</b>	6270	<b>292</b>		4.7	103	1.2	300	6270																																																																																																																																																																																																																																																																	
	5.8	92	1.5	240	<b>PC063+NMRV063</b>	<b>63A4</b>	6270	<b>292</b>																																																																																																																																																																																																																																																																																
	4.7	103	1.2	300			6270																																																																																																																																																																																																																																																																																	



**Prestazioni / Performance / Leistungen / Performances / Prestaciones**
**NMRV**

<b>P1</b> (kW)	<b>n2</b> (1/min)	<b>M2</b> (Nm)	<b>f.s.</b>	<b>i</b>	Grandezza, Size, Größe, Taille, Tamaño		<b>Fr2</b> (N)		
<b>0.12</b>	6.0	101	2.1	150	<b>PC063+NMRV063</b>	<b>63B6</b>	6270	<b>292</b>	
	5.0	112	1.8	180			6270		
	3.8	131	1.3	240			6270		
	3.0	145	1.0	300			6270		
	2.8	171	1.3	500	<b>NMRV030/063</b>	<b>63A4</b>	6270	<b>297</b>	
	2.3	208	1.1	600			6270		
	1.9	241	0.9	750			6270		
	1.6	325	1.2	900	<b>NMRV040/075</b>	<b>63A4</b>	7380	<b>298</b>	
	1.2	399	0.9	1200			7380		
	0.8	547	0.9	1800	<b>NMRV040/090</b>	<b>63A4</b>	8180	<b>298</b>	
	0.58	695	0.9	2400			8180		
	0.5	884	1.1	3000	<b>NMRV050/105</b>	<b>63A4</b>	10320	<b>298</b>	
0.35	784	1.0	4000	10320					
0.28	928	0.76	5000	10320					
0.5	884	1.2	3000	<b>NMRV050/110</b>	<b>63A4</b>	10320	<b>299</b>		
0.35	784	1.0	4000			10320			
0.28	928	0.80	5000			10320			
<b>0.15</b>	180.0	7	3.0	5	<b>NMRV030</b>	<b>63C6</b>	692	<b>281</b>	
	120.0	10	2.0	7.5			792		
	90.0	13	1.6	10			871		
	60.0	18	1.1	15			997		
	45.0	22	0.9	20			1098		
	60.0	19	2.4	15	<b>NMRV040</b>	<b>63C6</b>	1920	<b>282</b>	
	45.0	24	1.8	20			2113		
	36.0	29	1.5	25			2276		
	30.0	32	1.6	30			2419		
	22.5	39	1.1	40			2662		
	18.0	45	0.9	50			2868		
	18.0	47	1.6	50			<b>NMRV050</b>		<b>63C6</b>
	15.0	53	1.4	60	4183				
	11.3	62	1.1	80	4604				
	10.0	87	1.7	90	<b>PC063+NMRV050</b>	<b>63C6</b>	4788	<b>291</b>	
	7.5	105	1.2	120			4840		
	6.0	127	1.7	150	<b>PC063+NMRV063</b>	<b>63C6</b>	6270	<b>292</b>	
	5.0	140	1.4	180			6270		
	<b>0.18</b>	560.0	2.7	4.4	5	<b>NMRV030</b>	<b>63A2</b>	474	<b>281</b>
		373.3	4.0	3.2	7.5			542	
		280.0	5.2	2.5	10			597	
186.7		7.5	1.7	15	683				
140.0		10	1.3	20	752				
112.0		11	1.4	25	810				
93.3		13	1.1	30	861				
70.0		16	0.9	40	948				
280.0		5.3	3.4	5	<b>NMRV030</b>	<b>63B4</b>	597	<b>281</b>	
186.7		7.8	2.3	7.5			683		
140.0		10	1.8	10			752		
93.3		14	1.3	15			861		
70.0		18	1.0	20			948		





## NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
<b>0.18</b>	56.0	21	1.0	25	<b>NMRV030</b>	<b>63B4</b>	1021	<b>281</b>
	46.7	24	0.8	30			1085	
	93.3	14	2.4	30	<b>NMRV040</b>	<b>63A2</b>	1657	<b>282</b>
	70.0	18	1.8	40			1824	
	56.0	21	1.4	50			1964	
	70.0	19	2.0	20	<b>NMRV040</b>	<b>63B4</b>	1824	<b>282</b>
	56.0	23	1.7	25			1964	
	46.7	26	1.7	30			2087	
	35.0	32	1.3	40			2298	
	28.0	38	1.0	50			2475	
	23.3	43	0.8	60			2630	
	45.0	29	1.5	20			<b>NMRV040</b>	
	36.0	34	1.3	25	2276			
	30.0	38	1.3	30	2419			
	22.5	47	1.0	40	2662			
	18.7	64	0.8	75	<b>PC063+NMRV040</b>	<b>63B4</b>	2833	<b>291</b>
	15.6	70	0.8	90			3011	
	11.7	85	0.6	120			3314	
46.7	24	2.1	60	<b>NMRV050</b>	<b>63A2</b>	2865	<b>283</b>	
35.0	30	1.5	80			3153		
28.0	34	1.2	100			3397		
35.0	33	2.3	40	<b>NMRV050</b>	<b>63B4</b>	3153	<b>283</b>	
28.0	39	1.9	50			3397		
23.3	43	1.6	60			3610		
17.5	52	1.2	80			3973		
14.0	60	0.9	100			4280		
18.0	56	1.4	50			<b>NMRV050</b>		<b>71A6</b>
15.0	63	1.1	60	4183				
11.3	75	0.9	80	4604				
18.7	64	1.4	75	<b>PC063+NMRV050</b>	<b>63B4</b>	3889	<b>291</b>	
15.6	71	1.5	90			4132		
11.7	87	1.1	120			4548		
9.3	101	0.9	150			4840		
7.8	113	0.7	180			4840		
5.8	133	0.6	240			4840		
12.0	95	1.2	75			<b>PC071+NMRV050</b>		<b>71A6</b>
10.0	105	1.4	90	4788				
7.5	126	1.0	120	4840				




## Prestazioni / Performance / Leistungen / Performances / Prestaciones



## NMRV


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
<b>0.18</b>	15.0	66	2.1	60	<b>NMRV063</b>	<b>71A6</b>	5467	<b>284</b>
	11.3	79	1.6	80			6018	
	9.0	90	1.4	100			6270	
	9.3	103	1.7	150	<b>PC063+NMRV063</b>	<b>63B4</b>	6270	<b>292</b>
	7.8	117	1.4	180			6270	
	5.8	139	1.0	240			6270	
	4.7	155	0.8	300			6270	
	12.0	97	2.2	75	<b>PC071+NMRV063</b>	<b>71A6</b>	5889	<b>292</b>
	10.0	107	2.4	90			6259	
	7.5	131	1.8	120			6270	
	6.0	152	1.4	150			6270	
	5.0	168	1.2	180			6270	
	3.8	197	0.9	240			6270	
	3.0	218	0.7	300			6270	
	3.5	222	1.0	400	<b>NMRV030/063</b>	<b>63B4</b>	6270	<b>297</b>
2.8	257	0.8	500	6270				
5.0	179	1.7	180	<b>PC071+NMRV075</b>	<b>71A6</b>	7380	<b>293</b>	
3.8	211	1.2	240			7380		
3.0	235	1.0	300			7380		
2.3	362	1.1	600	<b>NMRV040/075</b>	<b>63B4</b>	7380	<b>298</b>	
1.9	435	0.9	750			7380		
1.6	487	0.8	900			7380		
1.2	629	1.0	1200	<b>NMRV040/090</b>	<b>63B4</b>	8180	<b>298</b>	
0.93	735	0.8	1500			8180		
0.8	861	1.3	1800	<b>NMRV050/105</b>	<b>63B4</b>	10320	<b>298</b>	
0.58	1113	0.9	2400			10320		
0.8	861	1.5	1800	<b>NMRV050/110</b>	<b>63B4</b>	10320	<b>299</b>	
0.58	1113	1.1	2400			10320		
<b>0.22</b>	280.0	7	2.8	5	<b>NMRV030</b>	<b>63C4</b>	597	<b>281</b>
	186.7	10	1.9	7.5			683	
	140.0	12	1.5	10			752	
	93.3	17	1.0	15			861	
	70.0	22	0.8	20			948	
	93.3	18	2.2	15	<b>NMRV040</b>	<b>63C4</b>	1657	<b>282</b>
	70.0	23	1.7	20			1824	
	56.0	28	1.4	25			1964	
	46.7	32	1.4	30			2087	
	35.0	39	1.1	40			2298	
	28.0	47	0.8	50			2475	
	28.0	47	1.5	50	<b>NMRV050</b>	<b>63C4</b>	3397	<b>283</b>
	23.3	53	1.3	60			3610	
	17.5	64	1.0	80			3973	
	18.7	78	1.2	75	<b>PC063+NMRV050</b>	<b>63C4</b>	3889	<b>291</b>
15.6	86	1.2	90	4132				
11.7	106	0.9	120	4548				







## NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
<b>0.22</b>	9.3	126	1.4	150	<b>PC063+NMRV063</b>	<b>63C4</b>	6270	<b>292</b>
	7.8	143	1.1	180			6270	
	4.7	210	1.1	300	<b>NMRV030/063</b>	<b>63C4</b>	6270	<b>297</b>
	3.5	271	0.8	400			6270	
<b>0.25</b>	560.0	3.8	3.2	5	<b>NMRV030</b>	<b>63B2</b>	474	<b>281</b>
	373.3	5.6	2.3	7.5			542	
	280.0	7.2	1.8	10			597	
	186.7	10	1.3	15			683	
	140.0	13	0.9	20			752	
	112.0	16	1.0	25			810	
	93.3	18	0.8	30			861	
	280.0	8	4.5	5			<b>NMRV040</b>	
	186.7	11	3.6	7.5	1315			
	140.0	14	2.8	10	1447			
	93.3	21	1.9	15	1657			
	70.0	27	1.5	20	1824			
	56.0	32	1.2	25	1964			
	46.7	36	1.3	30	2087			
	35.0	44	0.9	40	2298			
	180.0	12	3.5	5	<b>NMRV040</b>	<b>71B6</b>	1331	<b>282</b>
	120.0	17	2.6	7.5			1524	
	90.0	22	2.0	10			1677	
	60.0	31	1.4	15			1920	
	45.0	40	1.1	20			2113	
	36.0	48	0.9	25			2276	
	30.0	53	0.9	30			2419	
	35.0	42	1.1	80			<b>NMRV050</b>	
	28.0	48	0.8	100	3397			
70.0	27	2.7	20	<b>NMRV050</b>	<b>71A4</b>	2503	<b>283</b>	
56.0	32	2.2	25			2696		
46.7	37	2.3	30			2865		
35.0	46	1.7	40			3153		
28.0	54	1.4	50			3397		
23.3	60	1.1	60			3610		
17.5	72	0.9	80			3973		
45.0	40	1.9	20			<b>NMRV050</b>		<b>71B6</b>
36.0	48	1.5	25	3124				
30.0	54	1.7	30	3320				
22.5	67	1.2	40	3654				
18.0	78	1.0	50	3936				
15.0	88	0.8	60	4183				





## Prestazioni / Performance / Leistungen / Performances / Prestaciones


## NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
<b>0.25</b>	18.7	88	1.0	75	<b>PC071+NMRV050</b>	<b>71A4</b>	3889	<b>292</b>
	15.6	98	1.1	90			4132	
	11.7	121	0.8	120			4548	
	28.0	56	2.4	50	<b>NMRV063</b>	<b>71A4</b>	4440	<b>284</b>
	23.3	63	2.0	60			4719	
	17.5	78	1.6	80			5193	
	14.0	87	1.4	100			5595	
	18.0	81	1.8	50	<b>NMRV063</b>	<b>71B6</b>	5145	<b>284</b>
	15.0	92	1.5	60			5467	
	11.3	110	1.2	80			6018	
	9.0	125	1.0	100			6270	
	18.7	91	1.8	75	<b>PC071+NMRV063</b>	<b>71A4</b>	5083	<b>292</b>
	15.6	100	2.0	90			5401	
	11.7	125	1.5	120			5945	
	9.3	143	1.2	150			6270	
7.8	163	1.0	180	6270				
5.8	192	0.7	240	6270				
4.7	215	0.6	300	6270				
12.0	135	1.6	75	<b>PC071+NMRV063</b>			<b>71B6</b>	
10.0	148	1.8	90		6259			
7.5	181	1.3	120		6270			
6.0	211	1.0	150		6270			
7.0	159	1.4	400	<b>NMRV030/063</b>	<b>63B2</b>	6270	<b>297</b>	
5.6	185	1.2	500			6270		
17.5	82	2.3	80	<b>NMRV075</b>	<b>71A4</b>	6130	<b>285</b>	
14.0	94	1.9	100			6603		
11.3	117	1.7	80	<b>NMRV075</b>	<b>71B6</b>	7103	<b>285</b>	
9.0	133	1.4	100			7380		
9.3	151	1.7	150	<b>PC071+NMRV075</b>	<b>71A4</b>	7380	<b>293</b>	
7.8	172	1.4	180			7380		
5.8	201	1.1	240			7380		
4.7	230	0.9	300			7380		
12.0	139	2.4	75	<b>PC071+NMRV075</b>	<b>71B6</b>	6952	<b>293</b>	
10.0	155	2.5	90			7380		
7.5	191	1.9	120			7380		
6.0	219	1.5	150			7380		
5.0	248	1.2	180			7380		
3.5	336	1.1	400			<b>NMRV040/075</b>		<b>71A4</b>
2.8	384	0.8	500	7380				
5.0	263	1.9	180	<b>PC071+NMRV090</b>	<b>71B6</b>	8180	<b>293</b>	
3.8	318	1.4	240			8180		
3.0	358	1.1	300			8180		
2.3	512	1.2	600	<b>NMRV040/090</b>	<b>71A4</b>	8180	<b>298</b>	
1.9	598	0.9	750			8180		
1.6	667	0.8	900			8180		
1.2	943	1.1	1200	<b>NMRV050/105</b>	<b>71A4</b>	10320	<b>298</b>	
0.93	1064	1.0	1500			10320		
0.78	1195	0.9	1800			10320		





## NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)			
<b>0.25</b>	1.2	943	1.3	1200	<b>NMRV050/110</b>	<b>71A4</b>	10320	<b>299</b>		
	0.93	1064	1.2	1500			10320			
	0.78	1195	1.1	1800			10320			
		0.6	1624	1.0	2400	<b>NMRV063/130</b>	<b>71A4</b>	13500	<b>299</b>	
		0.47	1935	0.8	3000			13500		
		0.35	2046	0.6	4000			13500		
		0.28	2430	0.5	5000	13500				
			0.8	1199	1.8	1800	<b>NMRV063/150</b>	<b>71A4</b>	18000	<b>299</b>
			0.6	1446	1.8	2400			18000	
	0.5		1713	1.4	3000	18000				
	0.4		2026	0.9	4000	18000				
	0.3		2251	0.7	5000	18000				
<b>0.37</b>	560.0	5.6	2.1	5	<b>NMRV030</b>	<b>63C2</b>	474	<b>281</b>		
	373.3	8.2	1.6	7.5			542			
	280.0	11	1.2	10			597			
	186.7	15	0.8	15			683			
		560.0	5.7	4.2	5	<b>NMRV040</b>	<b>71A2</b>	912	<b>282</b>	
		373.3	8.4	3.3	7.5			1044		
		280.0	11	2.6	10			1149		
		186.7	16	1.9	15			1315		
		140.0	21	1.4	20			1447		
		112.0	25	1.1	25			1559		
		280.0	11	3.0	5	<b>NMRV040</b>	<b>71B4</b>	1149	<b>282</b>	
		186.7	16	2.4	7.5			1315		
		140.0	21	1.9	10			1447		
		93.3	31	1.3	15			1657		
		70.0	39	1.0	20			1824		
		56.0	47	0.8	25			1964		
		46.7	53	0.8	30			2087		
			112.0	25	2.0			25		<b>NMRV050</b>
	93.3		29	2.2	30	2274				
	70.0		37	1.6	40	2503				
	56.0		44	1.2	50	2696				
	46.7		50	1.0	60	2865				
	35.0		62	0.7	80	3153				
			140.0	22	3.3	10	<b>NMRV050</b>	<b>71B4</b>	1987	
93.3		31	2.4	15	2274					
70.0		40	1.8	20	2503					
56.0		48	1.5	25	2696					
46.7		55	1.5	30	2865					
35.0		68	1.1	40	3153					





## Prestazioni / Performance / Leistungen / Performances / Prestaciones


## NMRV



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
<b>0.37</b>	28.0	80	0.9	50	<b>NMRV050</b>	<b>71B4</b>	3397	<b>283</b>
	23.3	89	0.8	60			3610	
	180.0	17	4.3	5	<b>NMRV050</b>	<b>80A6</b>	1827	<b>283</b>
	120.0	25	3.3	7.5			2091	
	90.0	33	2.5	10			2302	
	60.0	47	1.8	15			2635	
	45.0	60	1.3	20			2900	
	36.0	72	1.0	25			3124	
	30.0	80	1.1	30			3320	
	35.0	71	2.1	40	<b>NMRV063</b>	<b>71B4</b>	4122	<b>284</b>
	28.0	83	1.6	50			4440	
	23.3	94	1.4	60			4719	
	17.5	115	1.1	80			5193	
	14.0	129	0.9	100			5595	
	45.0	60	2.4	20	<b>NMRV063</b>	<b>80A6</b>	3791	<b>284</b>
	36.0	74	1.9	25			4084	
	30.0	82	2.1	30			4339	
	22.5	102	1.6	40			4776	
	18.0	120	1.2	50			5145	
	15.0	137	1.0	60			5467	
	18.7	134	1.2	75	<b>PC071+NMRV063</b>	<b>71B4</b>	5083	<b>292</b>
	15.6	148	1.4	90			5401	
	11.7	185	1.0	120			5945	
	9.3	212	0.8	150			6270	
	9.3	181	1.3	300	<b>NMRV030/063</b>	<b>71A2</b>	6270	<b>297</b>
	7.0	236	1.0	400			6270	
	23.3	98	2.0	60	<b>NMRV075</b>	<b>71B4</b>	5569	<b>285</b>
	17.5	121	1.6	80			6130	
	14.0	139	1.3	100			6603	
	18.0	126	1.8	50	<b>NMRV075</b>	<b>80A6</b>	6073	<b>285</b>
	15.0	144	1.5	60			6453	
	11.3	173	1.2	80			7103	
	9.0	196	1.0	100			7380	
	18.7	138	1.8	75	<b>PC071+NMRV075</b>	<b>71B4</b>	6000	<b>293</b>
	15.6	154	1.9	90			6375	
	11.7	191	1.5	120			7017	
	9.3	223	1.1	150			7380	
	7.8	254	0.9	180			7380	
	12.0	206	1.6	75	<b>PC080+NMRV075</b>	<b>80A6</b>	6952	<b>293</b>
	10.0	230	1.7	90			7380	
	7.5	283	1.3	120			7380	
	6.0	324	1.0	150			7380	
	4.7	405	1.0	300	<b>NMRV040/075</b>	<b>71B4</b>	7380	<b>298</b>
	3.5	498	0.7	400			7380	
	11.3	185	1.7	80	<b>NMRV090</b>	<b>80A6</b>	7859	<b>286</b>
	9.0	212	1.3	100			8180	




## NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
<b>0.37</b>	7.8	268	1.5	180	<b>PC071+NMRV090</b>	<b>71B4</b>	8180	<b>293</b>
	5.8	321	1.1	240			8180	
	4.7	371	0.9	300			8180	
	6.0	347	1.6	150	<b>PC080+NMRV090</b>	<b>80A6</b>	8180	<b>294</b>
	5.0	389	1.3	180			8180	
	3.8	471	1.0	240			8180	
	4.7	402	1.5	300	<b>NMRV040/090</b>	<b>71B4</b>	8180	<b>298</b>
	3.5	523	1.2	400			8180	
	2.8	611	0.9	500			8180	
	2.3	757	0.8	600			8180	
	3.8	509	1.5	240	<b>PC080+NMRV105</b>	<b>80A6</b>	10320	<b>294</b>
	3.0	577	1.2	300			10320	
	1.9	950	1.2	750	<b>NMRV050/105</b>	<b>71B4</b>	10320	<b>298</b>
	1.6	1079	1.0	900			10320	
	1.2	1396	0.7	1200			10320	
	3.8	509	1.6	240	<b>PC080+NMRV110</b>	<b>80A6</b>	10320	<b>294</b>
	3.0	577	1.3	300			10320	
	1.9	950	1.3	750	<b>NMRV050/110</b>	<b>71B4</b>	10320	<b>299</b>
1.6	1079	1.2	900	10320				
1.2	1396	0.8	1200	10320				
0.9	1674	1.1	1500	<b>NMRV063/130</b>	<b>71B4</b>	13500	<b>299</b>	
0.78	1887	0.9	1800			13500		
0.8	1775	1.2	1800	<b>NMRV063/150</b>	<b>71B4</b>	18000	<b>299</b>	
0.6	2141	1.2	2400			18000		
0.5	2535	0.9	3000			18000		
<b>0.55</b>	560.0	8.4	2.8	5	<b>NMRV040</b>	<b>71B2</b>	912	<b>282</b>
	373.3	13	2.2	7.5			1044	
	280.0	17	1.8	10			1149	
	186.7	24	1.3	15			1315	
	140.0	31	0.9	20			1447	
	112.0	37	0.8	25			1559	
	280.0	17	2.0	5			<b>NMRV040</b>	
	186.7	24	1.6	7.5	1315			
	140.0	32	1.3	10	1447			
	93.3	46	0.9	15	1657			
	140.0	31	1.7	20	<b>NMRV050</b>	<b>71B2</b>	1987	<b>283</b>
	112.0	38	1.4	25			2140	
	93.3	43	1.5	30			2274	
	70.0	55	1.1	40			2503	
	56.0	65	0.8	50			2696	
	46.7	74	0.7	60			2865	
	280.0	17	3.7	5			<b>NMRV050</b>	
	186.7	25	2.9	7.5	1805			



**Prestazioni / Performance / Leistungen / Performances / Prestaciones**
**NMRV**



<b>P1</b> (kW)	<b>n2</b> (1/min)	<b>M2</b> (Nm)	<b>f.s.</b>	<b>i</b>	<b>Grandezza, Size, Größe, Taille, Tamaño</b>		<b>Fr2</b> (N)	
<b>0.55</b>	140.0	32	2.2	10	<b>NMRV050</b>	<b>80A4</b>	1987	<b>283</b>
	93.3	46	1.6	15			2274	
	70.0	59	1.2	20			2503	
	56.0	71	1.0	25			2696	
	46.7	81	1.0	30			2865	
	120.0	38	2.2	7.5	<b>NMRV050</b>	<b>80B6</b>	2091	<b>283</b>
	90.0	49	1.7	10			2302	
	60.0	69	1.2	15			2635	
	45.0	89	0.9	20			2900	
	70.0	56	1.9	40	<b>NMRV063</b>	<b>71B2</b>	3272	<b>284</b>
	56.0	67	1.5	50			3524	
	46.7	77	1.2	60			3745	
	35.0	95	0.9	80			4122	
	28.0	109	0.7	100			4440	
	70.0	61	2.2	20	<b>NMRV063</b>	<b>80A4</b>	3272	<b>284</b>
	56.0	73	1.8	25			3524	
	46.7	83	1.9	30			3745	
	35.0	105	1.4	40			4122	
	28.0	124	1.1	50			4440	
	23.3	140	0.9	60	4719			
60.0	71	2.2	15	<b>NMRV063</b>	<b>80B6</b>	3444	<b>284</b>	
45.0	90	1.6	20			3791		
36.0	109	1.3	25			4084		
30.0	123	1.4	30			4339		
22.5	152	1.1	40			4776		
18.7	200	0.8	75	<b>PC071+NMRV063</b>	<b>71C4</b>	5083	<b>292</b>	
15.6	219	0.9	90			5401		
35.0	99	1.3	80	<b>NMRV075</b>	<b>71B2</b>	4865	<b>285</b>	
28.0	114	1.0	100			5241		
35.0	108	2.0	40	<b>NMRV075</b>	<b>80A4</b>	4865	<b>285</b>	
28.0	129	1.6	50			5241		
23.3	146	1.4	60			5569		
17.5	180	1.1	80			6130		
14.0	206	0.9	100			6603		
30.0	128	2.0	30	<b>NMRV075</b>	<b>80B6</b>	5122	<b>285</b>	
22.5	159	1.5	40			5637		
18.0	187	1.2	50			6073		
15.0	214	1.0	60			6453		
18.7	205	1.2	75	<b>PC071+NMRV075</b>	<b>71C4</b>	6000	<b>293</b>	
15.6	230	1.3	90			6375		
11.7	284	1.0	120			7017		
18.7	205	1.2	75	<b>PC080+NMRV075</b>	<b>80A4</b>	6000	<b>293</b>	
15.6	230	1.3	90			6375		
11.7	284	1.0	120			7017		
9.3	332	0.8	150			7380		




## NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
<b>0.55</b>	12.0	306	1.1	75	<b>PC080+NMRV075</b>	<b>80B6</b>	6952	<b>293</b>
	10.0	341	1.1	90			7380	
	17.5	189	1.5	80	<b>NMRV090</b>	<b>80A4</b>	6783	<b>286</b>
	14.0	221	1.2	100			7306	
	18.0	198	2.0	50	<b>NMRV090</b>	<b>80B6</b>	6719	<b>286</b>
	15.0	224	1.6	60			7140	
	11.3	275	1.1	80			7859	
	9.0	315	0.9	100			8180	
	15.6	240	2.3	90	<b>PC080+NMRV090</b>	<b>80A4</b>	7054	<b>294</b>
	11.7	297	1.6	120			7764	
	9.3	355	1.3	150			8180	
	7.8	398	1.0	180			8180	
10.0	357	2.0	90	<b>PC080+NMRV090</b>	<b>80B6</b>	8174	<b>294</b>	
7.5	441	1.4	120			8180		
6.0	516	1.1	150			8180		
5.0	578	0.9	180			8180		
9.3	306	2.0	300	<b>NMRV040/090</b>	<b>71B2</b>	8180	<b>298</b>	
7.0	403	1.5	400			8180		
5.6	470	1.2	500			8180		
17.5	201	2.4	80	<b>NMRV105</b>	<b>80A4</b>	8571	<b>287</b>	
14.0	236	1.9	100			9232		
11.3	294	1.8	80	<b>NMRV105</b>	<b>80B6</b>	9931	<b>287</b>	
9.0	338	1.4	100			10320		
7.8	425	1.7	180	<b>PC080+NMRV105</b>	<b>80A4</b>	10320	<b>294</b>	
5.8	513	1.2	240			10320		
4.7	597	1.0	300			10320		
7.5	462	2.2	120	<b>PC080+NMRV105</b>	<b>80B6</b>	10320	<b>294</b>	
6.0	552	1.8	150			10320		
5.0	620	1.5	180			10320		
3.8	756	1.0	240			10320		
4.7	639	1.7	300	<b>NMRV050/105</b>	<b>80A4</b>	10320	<b>298</b>	
3.5	826	1.2	400			10320		
2.8	984	1.0	500			10320		
2.3	1181	0.9	600			10320		
1.9	1411	0.8	750			10320		
17.5	201	2.6	80	<b>NMRV110</b>	<b>80A4</b>	8571	<b>288</b>	
14.0	236	2.0	100			9232		
11.3	294	1.9	80	<b>NMRV110</b>	<b>80B6</b>	9931	<b>288</b>	
9.0	338	1.5	100			10320		
7.8	425	1.8	180	<b>PC080+NMRV110</b>	<b>80A4</b>	10320	<b>294</b>	
5.8	513	1.3	240			10320		
4.7	597	1.0	300			10320		
7.5	462	2.6	120	<b>PC080+NMRV110</b>	<b>80B6</b>	10320	<b>294</b>	
6.0	552	2.0	150			10320		
5.0	620	1.6	180			10320		
3.8	756	1.1	240			10320		




**Prestazioni / Performance / Leistungen / Performances / Prestaciones**
**NMRV**


<b>P1</b> (kW)	<b>n2</b> (1/min)	<b>M2</b> (Nm)	<b>f.s.</b>	<b>i</b>	Grandezza, Size, Größe, Taille, Tamaño		<b>Fr2</b> (N)	
<b>0.55</b>	4.7	639	2.0	300	<b>NMRV050/110</b>	<b>80A4</b>	10320	<b>299</b>
	3.5	826	1.4	400			10320	
	2.8	984	1.1	500			10320	
	2.3	1181	1.0	600			10320	
	1.9	1411	0.9	750			10320	
	3.8	756	1.6	240	<b>PC080+NMRV130</b>	<b>80B6</b>	13500	<b>295</b>
	3.0	858	1.3	300			13500	
	2.8	996	1.6	500	<b>NMRV063/130</b>	<b>80A4</b>	13500	<b>299</b>
	1.9	1471	1.2	750			13500	
	1.2	2132	0.8	1200			13500	
0.8	2638	0.8	1800	<b>NMRV063/150</b>	<b>80A4</b>	18000	<b>299</b>	
0.6	3182	0.8	2400			18000		
<b>0.75</b>	560.0	12	2.1	5	<b>NMRV040</b>	<b>71C2</b>	912	<b>282</b>
	373.3	17	1.6	7.5			1044	
	280.0	23	1.3	10			1149	
	186.7	32	1.0	15			1315	
	560.0	12	3.9	5	<b>NMRV050</b>	<b>80A2</b>	1251	<b>283</b>
	373.3	17	3.0	7.5			1433	
	280.0	23	2.4	10			1577	
	186.7	33	1.7	15			1805	
	140.0	42	1.3	20			1987	
	112.0	51	1.0	25			2140	
	93.3	58	1.1	30			2274	
	280.0	23	2.7	5			<b>NMRV050</b>	
	186.7	34	2.1	7.5	1805			
	140.0	44	1.6	10	1987			
	93.3	63	1.2	15	2274			
	70.0	81	0.9	20	2503			
	140.0	43	2.3	20	<b>NMRV063</b>	<b>80A2</b>	2597	<b>284</b>
	112.0	52	1.8	25			2797	
	93.3	60	2.0	30			2973	
	70.0	77	1.4	40			3272	
	56.0	91	1.1	50			3524	
	46.7	104	0.9	60			3745	
	93.3	64	2.2	15			<b>NMRV063</b>	
	70.0	83	1.6	20	3272			
	56.0	100	1.3	25	3524			
	46.7	114	1.4	30	3745			
	35.0	143	1.0	40	4122			








## NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
<b>0.75</b>	120.0	52	2.9	7.5	<b>NMRV063</b>	<b>90S6</b>	2734	<b>284</b>
	90.0	68	2.3	10			3009	
	60.0	97	1.6	15			3444	
	45.0	123	1.2	20			3791	
	36.0	149	0.9	25			4084	
	30.0	167	1.0	30	4339			
	46.7	109	1.3	60	<b>NMRV075</b>	<b>80A2</b>	4421	<b>285</b>
	28.0	156	0.8	100			5241	
	56.0	102	2.0	25	<b>NMRV075</b>	<b>80B4</b>	4160	<b>285</b>
	46.7	117	2.0	30			4421	
35.0	147	1.5	40	4865				
28.0	177	1.2	50	5241				
23.3	200	1.0	60	5569				
60.0	98	2.4	15	<b>NMRV075</b>	<b>90S6</b>	4065	<b>285</b>	
45.0	126	1.9	20			4474		
36.0	153	1.4	25			4820		
30.0	174	1.5	30			5122		
22.5	216	1.1	40			5637		
18.7	280	0.9	75	<b>PC080+NMRV075</b>	<b>80B4</b>	6000	<b>293</b>	
15.6	313	1.0	90			6375		
35.0	141	1.6	80	<b>NMRV090</b>	<b>80A2</b>	5383	<b>286</b>	
28.0	166	1.2	100			5799		
28.0	184	1.8	50	<b>NMRV090</b>	<b>80B4</b>	5799	<b>286</b>	
23.3	212	1.5	60			6163		
17.5	258	1.1	80			6783		
14.0	302	0.9	100			7306		
30.0	179	2.6	30	<b>NMRV090</b>	<b>90S6</b>	5667	<b>286</b>	
22.5	226	1.8	40			6238		
18.0	271	1.4	50			6719		
15.0	306	1.1	60			7140		
15.6	327	1.7	90	<b>PC080+NMRV090</b>	<b>80B4</b>	7054	<b>294</b>	
11.7	405	1.2	120			7764		
9.3	483	0.9	150			8180		
7.8	543	0.7	180			8180		
7.0	549	1.1	400	<b>NMRV040/090</b>	<b>80A2</b>	8180	<b>298</b>	
5.6	642	0.9	500			8180		
17.5	274	1.8	80	<b>NMRV105</b>	<b>80B4</b>	8571	<b>287</b>	
14.0	322	1.4	100			9232		
15.0	325	1.9	60	<b>NMRV105</b>	<b>90S6</b>	9023	<b>287</b>	
11.3	401	1.3	80			9931		
9.0	462	1.1	100			10320		
11.7	430	1.9	120	<b>PC080+NMRV105</b>	<b>80B4</b>	9811	<b>294</b>	
9.3	506	1.6	150			10320		
7.8	580	1.2	180			10320		
5.8	700	0.9	240			10320		
12.4	393	2.8	73	<b>PC090+NMRV105</b>	<b>90S6</b>	9614	<b>294</b>	
9.3	508	2.0	96.8			10320		
7.4	607	1.6	121			10320		



**Prestazioni / Performance / Leistungen / Performances / Prestaciones**
**NMRV**



<b>P1</b> (kW)	<b>n2</b> (1/min)	<b>M2</b> (Nm)	<b>f.s.</b>	<b>i</b>	<b>Grandezza, Size, Größe, Taille, Tamaño</b>		<b>Fr2</b> (N)																																																																																																																																																																																																																																																																																																						
<b>0.75</b>	6.2	682	1.3	145.2	<b>PC090+NMRV105</b>	<b>90S6</b>	10320	<b>294</b>																																																																																																																																																																																																																																																																																																					
	4.6	832	0.9	193.6			10320			9.3	446	2.5	300	<b>NMRV050/105</b>	<b>80A2</b>	10320	<b>298</b>		7.0	563	1.8	400	10320		5.6	687	1.5	500	10320		4.7	871	1.3	300	<b>NMRV050/105</b>	<b>80B4</b>	10320	<b>298</b>		3.5	1126	0.9	400	10320		17.5	274	1.9	80	<b>NMRV110</b>	<b>80B4</b>	8571	<b>288</b>		14.0	322	1.5	100	9232		15.0	325	2.1	60	<b>NMRV110</b>	<b>90S6</b>	9023	<b>288</b>		11.3	401	1.4	80	9931		9.0	462	1.1	100	10320		11.7	430	2.2	120	<b>PC080+NMRV110</b>	<b>80B4</b>	9811	<b>294</b>		9.3	506	1.7	150	10320		7.8	580	1.3	180	10320		5.8	700	0.9	240	10320		12.4	393	3.2	73	<b>PC090+NMRV110</b>	<b>90S6</b>	9614	<b>294</b>		9.3	508	2.3	96.8	10320		7.4	607	1.8	121	10320		6.2	682	1.5	145.2	10320		4.6	832	1.0	193.6	10320		9.3	446	2.8	300	<b>NMRV050/110</b>	<b>80A2</b>	10320	<b>299</b>		7.0	563	2.1	400	10320		5.6	687	1.6	500	10320		4.7	871	1.5	300	<b>NMRV050/110</b>	<b>80B4</b>	10320	<b>299</b>		3.5	1126	1.1	400	10320		11.3	407	2.1	80	<b>NMRV130</b>	<b>90S6</b>	12989	<b>289</b>		9.0	470	1.7	100	13500		5.8	712	1.4	240	<b>PC080+NMRV130</b>	<b>80B4</b>	13500	<b>295</b>		4.7	813	1.1	300	13500		12.4	399	4.4	73	<b>PC090+NMRV130</b>	<b>90S6</b>	12575	<b>295</b>		9.3	508	3.2	96.8	13500		7.4	607	2.6	121	13500		6.2	682	2.1	145.2	13500		4.6	832	1.5	193.6	13500		3.7	944	1.2	242	13500		2.8	1358	1.1	500	<b>NMRV063/130</b>	<b>80B4</b>	13500	<b>299</b>		2.3	1631	1.0	600	13500		1.9	2005	0.9	750	13500		1.6	2283	0.8	900	13500		2.8	1291	1.8	500	<b>NMRV063/150</b>	<b>80B4</b>	18000	<b>299</b>		2.3	1529	1.7	600	18000		1.9	1783	1.3	750	18000		1.6	2215	0.9	900	18000		1.2
	9.3	446	2.5	300	<b>NMRV050/105</b>	<b>80A2</b>	10320	<b>298</b>																																																																																																																																																																																																																																																																																																					
	7.0	563	1.8	400			10320																																																																																																																																																																																																																																																																																																						
	5.6	687	1.5	500			10320			4.7	871	1.3	300	<b>NMRV050/105</b>	<b>80B4</b>	10320	<b>298</b>		3.5	1126	0.9	400	10320		17.5	274	1.9	80	<b>NMRV110</b>	<b>80B4</b>	8571	<b>288</b>		14.0	322	1.5	100	9232		15.0	325	2.1	60	<b>NMRV110</b>	<b>90S6</b>	9023	<b>288</b>		11.3	401	1.4	80	9931		9.0	462	1.1	100	10320		11.7	430	2.2	120	<b>PC080+NMRV110</b>	<b>80B4</b>	9811	<b>294</b>		9.3	506	1.7	150	10320		7.8	580	1.3	180	10320		5.8	700	0.9	240			10320			12.4	393	3.2	73	<b>PC090+NMRV110</b>	<b>90S6</b>	9614	<b>294</b>		9.3	508	2.3	96.8	10320		7.4	607	1.8	121	10320		6.2			682		1.5	145.2	10320		4.6	832	1.0	193.6	10320		9.3	446	2.8	300	<b>NMRV050/110</b>	<b>80A2</b>	10320	<b>299</b>		7.0	563	2.1	400	10320		5.6	687	1.6	500	10320		4.7	871	1.5	300	<b>NMRV050/110</b>	<b>80B4</b>	10320	<b>299</b>		3.5	1126	1.1	400	10320		11.3	407	2.1	80	<b>NMRV130</b>	<b>90S6</b>	12989	<b>289</b>		9.0	470	1.7	100	13500		5.8	712	1.4	240	<b>PC080+NMRV130</b>	<b>80B4</b>	13500	<b>295</b>		4.7	813	1.1	300	13500		12.4	399	4.4	73	<b>PC090+NMRV130</b>	<b>90S6</b>	12575	<b>295</b>		9.3	508	3.2	96.8	13500		7.4	607	2.6	121			13500			6.2	682	2.1	145.2	13500		4.6	832	1.5	193.6	13500		3.7	944	1.2	242	13500		2.8	1358	1.1	500	<b>NMRV063/130</b>	<b>80B4</b>	13500	<b>299</b>		2.3	1631	1.0	600	13500		1.9			2005		0.9	750	13500		1.6	2283	0.8	900	13500		2.8	1291	1.8	500	<b>NMRV063/150</b>	<b>80B4</b>	18000	<b>299</b>		2.3	1529	1.7	600			18000			1.9	1783	1.3	750	18000		1.6	2215	0.9	900	18000		1.2	2680	1.0	1200	18000		
	4.7	871	1.3	300	<b>NMRV050/105</b>	<b>80B4</b>	10320	<b>298</b>																																																																																																																																																																																																																																																																																																					
	3.5	1126	0.9	400			10320			17.5	274	1.9	80	<b>NMRV110</b>	<b>80B4</b>	8571	<b>288</b>		14.0	322	1.5	100	9232		15.0	325	2.1	60	<b>NMRV110</b>	<b>90S6</b>	9023	<b>288</b>		11.3	401	1.4	80	9931		9.0	462	1.1	100			10320			11.7	430	2.2	120	<b>PC080+NMRV110</b>	<b>80B4</b>	9811	<b>294</b>		9.3	506	1.7	150	10320		7.8			580		1.3	180	10320		5.8	700	0.9	240	10320		12.4	393	3.2	73	<b>PC090+NMRV110</b>	<b>90S6</b>	9614	<b>294</b>		9.3	508	2.3	96.8	10320		7.4			607		1.8	121	10320		6.2	682	1.5	145.2	10320		4.6	832	1.0	193.6	10320		9.3	446	2.8	300	<b>NMRV050/110</b>	<b>80A2</b>	10320	<b>299</b>		7.0	563	2.1	400	10320		5.6			687		1.6	500	10320		4.7	871	1.5	300	<b>NMRV050/110</b>	<b>80B4</b>	10320	<b>299</b>		3.5	1126	1.1	400	10320		11.3	407	2.1	80	<b>NMRV130</b>	<b>90S6</b>	12989	<b>289</b>		9.0	470	1.7	100	13500		5.8	712	1.4	240	<b>PC080+NMRV130</b>	<b>80B4</b>	13500	<b>295</b>		4.7	813	1.1	300	13500		12.4	399	4.4	73	<b>PC090+NMRV130</b>	<b>90S6</b>	12575	<b>295</b>		9.3	508	3.2	96.8			13500			7.4	607	2.6	121	13500		6.2	682	2.1	145.2			13500			4.6	832	1.5	193.6	13500		3.7	944	1.2	242	13500		2.8	1358	1.1	500	<b>NMRV063/130</b>	<b>80B4</b>	13500	<b>299</b>		2.3			1631		1.0	600	13500		1.9	2005	0.9	750	13500		1.6	2283	0.8	900	13500		2.8	1291	1.8	500	<b>NMRV063/150</b>	<b>80B4</b>	18000	<b>299</b>		2.3			1529		1.7	600	18000		1.9	1783	1.3	750	18000		1.6	2215	0.9	900	18000		1.2	2680	1.0	1200	18000								
	17.5	274	1.9	80	<b>NMRV110</b>	<b>80B4</b>	8571	<b>288</b>																																																																																																																																																																																																																																																																																																					
	14.0	322	1.5	100			9232			15.0	325	2.1	60	<b>NMRV110</b>	<b>90S6</b>	9023	<b>288</b>		11.3	401	1.4	80	9931		9.0	462	1.1	100			10320			11.7	430	2.2	120	<b>PC080+NMRV110</b>	<b>80B4</b>	9811	<b>294</b>		9.3	506	1.7	150	10320		7.8	580	1.3	180			10320			5.8	700	0.9	240	10320		12.4	393	3.2	73	<b>PC090+NMRV110</b>	<b>90S6</b>	9614	<b>294</b>		9.3	508	2.3	96.8	10320		7.4	607	1.8	121			10320			6.2	682	1.5	145.2	10320		4.6			832		1.0	193.6	10320		9.3	446	2.8	300	<b>NMRV050/110</b>	<b>80A2</b>	10320	<b>299</b>		7.0	563	2.1	400	10320		5.6			687		1.6	500	10320		4.7	871	1.5	300	<b>NMRV050/110</b>	<b>80B4</b>	10320	<b>299</b>		3.5	1126	1.1	400	10320		11.3	407	2.1	80	<b>NMRV130</b>	<b>90S6</b>	12989	<b>289</b>		9.0	470	1.7	100	13500		5.8	712	1.4	240	<b>PC080+NMRV130</b>	<b>80B4</b>	13500	<b>295</b>		4.7	813	1.1	300	13500		12.4	399	4.4	73	<b>PC090+NMRV130</b>	<b>90S6</b>	12575	<b>295</b>		9.3	508	3.2	96.8	13500		7.4			607		2.6	121	13500		6.2			682		2.1	145.2	13500		4.6	832	1.5	193.6	13500		3.7	944	1.2	242	13500		2.8	1358	1.1	500	<b>NMRV063/130</b>	<b>80B4</b>	13500	<b>299</b>		2.3	1631	1.0	600	13500		1.9			2005		0.9	750	13500		1.6	2283	0.8	900	13500		2.8	1291	1.8	500	<b>NMRV063/150</b>	<b>80B4</b>	18000	<b>299</b>		2.3	1529	1.7	600	18000		1.9			1783		1.3	750			18000			1.6	2215	0.9	900	18000		1.2	2680	1.0	1200	18000																	
	15.0	325	2.1	60	<b>NMRV110</b>	<b>90S6</b>	9023	<b>288</b>																																																																																																																																																																																																																																																																																																					
	11.3	401	1.4	80			9931																																																																																																																																																																																																																																																																																																						
	9.0	462	1.1	100			10320			11.7	430	2.2	120	<b>PC080+NMRV110</b>	<b>80B4</b>	9811	<b>294</b>		9.3	506	1.7	150	10320		7.8	580	1.3	180	10320		5.8	700	0.9	240	10320		12.4			393		3.2	73	<b>PC090+NMRV110</b>	<b>90S6</b>	9614	<b>294</b>		9.3	508	2.3	96.8	10320		7.4	607	1.8	121	10320		6.2	682	1.5	145.2	10320		4.6			832		1.0	193.6	10320		9.3	446	2.8	300	<b>NMRV050/110</b>	<b>80A2</b>	10320	<b>299</b>		7.0	563	2.1	400	10320		5.6	687	1.6	500	10320		4.7	871	1.5	300	<b>NMRV050/110</b>	<b>80B4</b>	10320	<b>299</b>		3.5	1126	1.1	400	10320		11.3	407	2.1	80	<b>NMRV130</b>	<b>90S6</b>	12989	<b>289</b>		9.0	470	1.7	100	13500		5.8	712	1.4	240	<b>PC080+NMRV130</b>	<b>80B4</b>	13500	<b>295</b>		4.7	813	1.1	300	13500		12.4	399	4.4	73	<b>PC090+NMRV130</b>	<b>90S6</b>	12575	<b>295</b>		9.3	508	3.2	96.8	13500		7.4	607	2.6	121	13500		6.2	682	2.1	145.2	13500		4.6	832	1.5	193.6	13500		3.7			944		1.2	242	13500		2.8	1358	1.1	500			<b>NMRV063/130</b>		<b>80B4</b>	13500	<b>299</b>		2.3	1631	1.0	600	13500		1.9	2005	0.9	750	13500		1.6	2283	0.8	900	13500		2.8	1291	1.8	500	<b>NMRV063/150</b>	<b>80B4</b>	18000			<b>299</b>			2.3	1529	1.7	600	18000		1.9	1783	1.3	750	18000		1.6	2215	0.9	900	18000		1.2	2680	1.0	1200	18000																																																					
	11.7	430	2.2	120	<b>PC080+NMRV110</b>	<b>80B4</b>	9811	<b>294</b>																																																																																																																																																																																																																																																																																																					
	9.3	506	1.7	150			10320																																																																																																																																																																																																																																																																																																						
	7.8	580	1.3	180			10320																																																																																																																																																																																																																																																																																																						
	5.8	700	0.9	240			10320			12.4	393	3.2	73	<b>PC090+NMRV110</b>	<b>90S6</b>	9614	<b>294</b>		9.3	508	2.3	96.8	10320		7.4	607	1.8	121	10320		6.2	682	1.5	145.2	10320		4.6	832	1.0	193.6	10320		9.3			446		2.8	300	<b>NMRV050/110</b>	<b>80A2</b>	10320	<b>299</b>		7.0	563	2.1	400	10320		5.6	687	1.6	500	10320		4.7	871	1.5	300	<b>NMRV050/110</b>	<b>80B4</b>	10320	<b>299</b>		3.5	1126	1.1	400	10320		11.3	407	2.1	80	<b>NMRV130</b>	<b>90S6</b>	12989	<b>289</b>		9.0	470	1.7	100	13500		5.8	712	1.4	240	<b>PC080+NMRV130</b>	<b>80B4</b>	13500	<b>295</b>		4.7	813	1.1	300	13500		12.4	399	4.4	73	<b>PC090+NMRV130</b>	<b>90S6</b>	12575	<b>295</b>		9.3	508	3.2	96.8	13500		7.4	607	2.6	121	13500		6.2	682	2.1	145.2	13500		4.6	832	1.5	193.6	13500		3.7			944		1.2	242	13500		2.8	1358	1.1	500	<b>NMRV063/130</b>	<b>80B4</b>	13500	<b>299</b>		2.3	1631	1.0	600	13500		1.9	2005	0.9	750	13500		1.6	2283	0.8	900	13500		2.8	1291	1.8	500	<b>NMRV063/150</b>	<b>80B4</b>	18000	<b>299</b>		2.3	1529	1.7	600	18000		1.9	1783	1.3	750	18000		1.6	2215	0.9	900	18000		1.2	2680	1.0	1200	18000																																																																																									
	12.4	393	3.2	73	<b>PC090+NMRV110</b>	<b>90S6</b>	9614	<b>294</b>																																																																																																																																																																																																																																																																																																					
	9.3	508	2.3	96.8			10320																																																																																																																																																																																																																																																																																																						
	7.4	607	1.8	121			10320																																																																																																																																																																																																																																																																																																						
	6.2	682	1.5	145.2			10320																																																																																																																																																																																																																																																																																																						
	4.6	832	1.0	193.6			10320			9.3	446	2.8	300	<b>NMRV050/110</b>	<b>80A2</b>	10320	<b>299</b>		7.0	563	2.1	400	10320		5.6	687	1.6	500	10320		4.7	871	1.5	300	<b>NMRV050/110</b>	<b>80B4</b>	10320	<b>299</b>		3.5	1126	1.1	400	10320		11.3	407	2.1	80	<b>NMRV130</b>	<b>90S6</b>	12989	<b>289</b>		9.0	470	1.7	100	13500		5.8	712	1.4	240	<b>PC080+NMRV130</b>	<b>80B4</b>	13500	<b>295</b>		4.7	813	1.1	300	13500		12.4	399	4.4	73	<b>PC090+NMRV130</b>	<b>90S6</b>	12575	<b>295</b>		9.3	508	3.2	96.8	13500		7.4	607	2.6	121	13500		6.2	682	2.1	145.2	13500		4.6	832	1.5	193.6	13500		3.7	944	1.2	242	13500		2.8			1358		1.1	500	<b>NMRV063/130</b>	<b>80B4</b>	13500	<b>299</b>		2.3	1631	1.0	600	13500		1.9	2005	0.9	750	13500		1.6	2283	0.8	900	13500		2.8	1291	1.8	500	<b>NMRV063/150</b>	<b>80B4</b>	18000	<b>299</b>		2.3	1529	1.7	600	18000		1.9	1783	1.3	750	18000		1.6	2215	0.9	900	18000		1.2	2680	1.0	1200	18000																																																																																																																													
	9.3	446	2.8	300	<b>NMRV050/110</b>	<b>80A2</b>	10320	<b>299</b>																																																																																																																																																																																																																																																																																																					
	7.0	563	2.1	400			10320																																																																																																																																																																																																																																																																																																						
	5.6	687	1.6	500			10320			4.7	871	1.5	300	<b>NMRV050/110</b>	<b>80B4</b>	10320	<b>299</b>		3.5	1126	1.1	400	10320		11.3	407	2.1	80	<b>NMRV130</b>	<b>90S6</b>	12989	<b>289</b>		9.0	470	1.7	100	13500		5.8	712	1.4	240	<b>PC080+NMRV130</b>	<b>80B4</b>	13500	<b>295</b>		4.7	813	1.1	300	13500		12.4	399	4.4	73	<b>PC090+NMRV130</b>	<b>90S6</b>	12575	<b>295</b>		9.3	508	3.2	96.8	13500		7.4	607	2.6	121	13500		6.2	682	2.1	145.2			13500			4.6	832	1.5	193.6	13500		3.7	944	1.2	242	13500		2.8	1358	1.1	500	<b>NMRV063/130</b>	<b>80B4</b>	13500	<b>299</b>		2.3	1631	1.0	600	13500		1.9	2005	0.9	750	13500		1.6	2283	0.8	900			13500			2.8	1291	1.8	500	<b>NMRV063/150</b>	<b>80B4</b>	18000	<b>299</b>		2.3	1529	1.7	600	18000		1.9	1783	1.3	750	18000		1.6			2215		0.9	900	18000		1.2	2680	1.0	1200	18000																																																																																																																																												
	4.7	871	1.5	300	<b>NMRV050/110</b>	<b>80B4</b>	10320	<b>299</b>																																																																																																																																																																																																																																																																																																					
	3.5	1126	1.1	400			10320			11.3	407	2.1	80	<b>NMRV130</b>	<b>90S6</b>	12989	<b>289</b>		9.0	470	1.7	100	13500		5.8	712	1.4	240	<b>PC080+NMRV130</b>	<b>80B4</b>	13500	<b>295</b>		4.7	813	1.1	300	13500		12.4	399	4.4	73	<b>PC090+NMRV130</b>	<b>90S6</b>	12575	<b>295</b>		9.3	508	3.2	96.8	13500		7.4	607	2.6	121			13500			6.2	682	2.1	145.2	13500		4.6	832	1.5	193.6	13500		3.7	944	1.2	242			13500			2.8	1358	1.1	500	<b>NMRV063/130</b>	<b>80B4</b>	13500	<b>299</b>		2.3	1631	1.0	600	13500		1.9			2005		0.9	750	13500		1.6	2283	0.8	900	13500		2.8	1291	1.8	500	<b>NMRV063/150</b>	<b>80B4</b>	18000	<b>299</b>		2.3	1529	1.7	600	18000		1.9			1783		1.3	750	18000		1.6	2215	0.9	900	18000		1.2	2680	1.0	1200	18000																																																																																																																																																								
	11.3	407	2.1	80	<b>NMRV130</b>	<b>90S6</b>	12989	<b>289</b>																																																																																																																																																																																																																																																																																																					
	9.0	470	1.7	100			13500			5.8	712	1.4	240	<b>PC080+NMRV130</b>	<b>80B4</b>	13500	<b>295</b>		4.7	813	1.1	300	13500		12.4	399	4.4	73	<b>PC090+NMRV130</b>	<b>90S6</b>	12575	<b>295</b>		9.3	508	3.2	96.8	13500		7.4	607	2.6	121			13500			6.2	682	2.1	145.2	13500		4.6	832	1.5	193.6			13500			3.7	944	1.2	242	13500		2.8	1358	1.1	500	<b>NMRV063/130</b>	<b>80B4</b>	13500	<b>299</b>		2.3	1631	1.0	600	13500		1.9	2005	0.9	750			13500			1.6	2283	0.8	900	13500		2.8	1291	1.8	500	<b>NMRV063/150</b>	<b>80B4</b>	18000	<b>299</b>		2.3	1529	1.7	600	18000		1.9	1783	1.3	750			18000			1.6	2215	0.9	900	18000		1.2			2680		1.0	1200	18000																																																																																																																																																																				
	5.8	712	1.4	240	<b>PC080+NMRV130</b>	<b>80B4</b>	13500	<b>295</b>																																																																																																																																																																																																																																																																																																					
	4.7	813	1.1	300			13500			12.4	399	4.4	73	<b>PC090+NMRV130</b>	<b>90S6</b>	12575	<b>295</b>		9.3	508	3.2	96.8	13500		7.4	607	2.6	121			13500			6.2	682	2.1	145.2	13500		4.6	832	1.5	193.6			13500			3.7	944	1.2	242	13500		2.8	1358	1.1	500	<b>NMRV063/130</b>	<b>80B4</b>	13500	<b>299</b>		2.3	1631	1.0	600	13500		1.9	2005	0.9	750			13500			1.6	2283	0.8	900	13500		2.8	1291	1.8	500	<b>NMRV063/150</b>	<b>80B4</b>	18000	<b>299</b>		2.3	1529	1.7	600	18000		1.9	1783	1.3	750			18000			1.6	2215	0.9	900	18000		1.2	2680	1.0	1200			18000																																																																																																																																																																																				
	12.4	399	4.4	73	<b>PC090+NMRV130</b>	<b>90S6</b>	12575	<b>295</b>																																																																																																																																																																																																																																																																																																					
	9.3	508	3.2	96.8			13500																																																																																																																																																																																																																																																																																																						
	7.4	607	2.6	121			13500																																																																																																																																																																																																																																																																																																						
	6.2	682	2.1	145.2			13500																																																																																																																																																																																																																																																																																																						
	4.6	832	1.5	193.6			13500																																																																																																																																																																																																																																																																																																						
	3.7	944	1.2	242			13500			2.8	1358	1.1	500	<b>NMRV063/130</b>	<b>80B4</b>	13500	<b>299</b>		2.3	1631	1.0	600	13500		1.9	2005	0.9	750	13500		1.6	2283	0.8	900	13500		2.8	1291	1.8	500	<b>NMRV063/150</b>	<b>80B4</b>	18000	<b>299</b>		2.3	1529	1.7	600	18000		1.9	1783	1.3	750	18000		1.6	2215	0.9	900	18000		1.2	2680	1.0	1200	18000																																																																																																																																																																																																																																									
	2.8	1358	1.1	500	<b>NMRV063/130</b>	<b>80B4</b>	13500	<b>299</b>																																																																																																																																																																																																																																																																																																					
	2.3	1631	1.0	600			13500																																																																																																																																																																																																																																																																																																						
	1.9	2005	0.9	750			13500																																																																																																																																																																																																																																																																																																						
	1.6	2283	0.8	900			13500			2.8	1291	1.8	500	<b>NMRV063/150</b>	<b>80B4</b>	18000	<b>299</b>		2.3	1529	1.7	600	18000		1.9	1783	1.3	750	18000		1.6	2215	0.9	900	18000		1.2	2680	1.0	1200			18000																																																																																																																																																																																																																																																																		
	2.8	1291	1.8	500	<b>NMRV063/150</b>	<b>80B4</b>	18000	<b>299</b>																																																																																																																																																																																																																																																																																																					
	2.3	1529	1.7	600			18000																																																																																																																																																																																																																																																																																																						
	1.9	1783	1.3	750			18000																																																																																																																																																																																																																																																																																																						
	1.6	2215	0.9	900			18000																																																																																																																																																																																																																																																																																																						
	1.2	2680	1.0	1200			18000																																																																																																																																																																																																																																																																																																						




## NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
<b>0.92</b>	280.0	28	2.2	5	<b>NMRV050</b>	<b>80C4</b>	1577	<b>283</b>
	186.7	41	1.7	7.5			1805	
	140.0	54	1.3	10			1987	
	93.3	77	1.0	15			2274	
	140.0	55	2.4	10	<b>NMRV063</b>	<b>80C4</b>	2597	<b>284</b>
	93.3	78	1.8	15			2973	
	70.0	102	1.3	20			3272	
	56.0	122	1.1	25			3524	
	46.7	139	1.1	30			3745	
	35.0	176	0.8	40			4122	
	70.0	103	2.0	20	<b>NMRV075</b>	<b>80C4</b>	3862	<b>285</b>
	56.0	126	1.6	25			4160	
	46.7	143	1.6	30			4421	
	35.0	181	1.2	40			4865	
	28.0	217	1.0	50			5241	
	23.3	245	0.8	60			5569	
	18.7	344	0.7	75	<b>PC080+NMRV075</b>	<b>80C4</b>	6000	<b>293</b>
	15.6	384	0.8	90			6375	
	28.0	226	1.5	50	<b>NMRV090</b>	<b>80C4</b>	5799	<b>286</b>
	23.3	260	1.2	60			6163	
	17.5	316	0.9	80			6783	
	15.6	401	1.4	90	<b>PC080+NMRV090</b>	<b>80C4</b>	7054	<b>294</b>
	11.7	497	1.0	120			7764	
	9.3	593	0.8	150			8180	
	17.5	336	1.5	80	<b>NMRV105</b>	<b>80C4</b>	8571	<b>287</b>
	14.0	395	1.2	100			9232	
	18.7	367	2.2	75	<b>PC080+NMRV105</b>	<b>80C4</b>	8388	<b>294</b>
	11.7	527	1.5	120			9811	
	9.3	621	1.3	150			10320	
	7.8	712	1.0	180			10320	
	4.7	1069	1.0	300	<b>NMRV050/105</b>	<b>80C4</b>	10320	<b>298</b>
	3.5	1382	0.7	400			10320	
	17.5	336	1.5	80	<b>NMRV110</b>	<b>80C4</b>	8571	<b>288</b>
	14.0	395	1.2	100			9232	
	18.7	367	2.5	75	<b>PC080+NMRV110</b>	<b>80C4</b>	8388	<b>294</b>
	11.7	527	1.8	120			9811	
	9.3	621	1.4	150			10320	
	7.8	712	1.1	180			10320	
	4.7	1069	1.2	300	<b>NMRV050/110</b>	<b>80C4</b>	10320	<b>299</b>
	3.5	1382	0.9	400			10320	
	3.5	1398	1.2	400	<b>NMRV063/130</b>	<b>80C4</b>	13500	<b>299</b>
	2.8	1665	0.9	500			13500	
	7.8	712	1.5	180	<b>PC080+NMRV130</b>	<b>80C4</b>	13500	<b>295</b>
	5.8	874	1.1	240			13500	
	4.7	998	0.9	300			13500	



**Prestazioni / Performance / Leistungen / Performances / Prestaciones**
**NMRV**



<b>P1</b> (kW)	<b>n2</b> (1/min)	<b>M2</b> (Nm)	<b>f.s.</b>	<b>i</b>	<b>Grandezza, Size, Größe, Taille, Tamaño</b>		<b>Fr2</b> (N)	
<b>0.92</b>	2.8	1583	1.5	500	<b>NMRV063/150</b>	<b>80C4</b>	18000	<b>299</b>
	2.3	1875	1.4	600			18000	
	1.9	2188	1.1	750			18000	
	1.6	2717	0.8	900			18000	
	1.2	3288	0.8	1200			18000	
<b>1.1</b>	560.0	17	2.6	5	<b>NMRV050</b>	<b>80B2</b>	1251	<b>283</b>
	373.3	25	2.1	7.5			1433	
	280.0	33	1.6	10			1577	
	186.7	48	1.2	15			1805	
	140.0	62	0.9	20			1987	
	186.7	48	2.1	15	<b>NMRV063</b>	<b>80B2</b>	2359	<b>284</b>
	140.0	63	1.6	20			2597	
	112.0	77	1.2	25			2797	
	93.3	88	1.4	30			2973	
	70.0	113	1.0	40			3272	
	120.0	76	2.0	7.5	<b>NMRV063</b>	<b>90L6</b>	2734	<b>284</b>
	90.0	99	1.5	10			3009	
	60.0	142	1.1	15			3444	
	45.0	180	0.8	20			3791	
	186.7	50	2.6	7.5	<b>NMRV063</b>	<b>90S4</b>	2359	<b>284</b>
	140.0	65	2.0	10			2597	
	93.3	93	1.5	15			2973	
	70.0	122	1.1	20			3272	
	56.0	146	0.9	25			3524	
	46.7	167	1.0	30			3745	
	112.0	78	1.9	25	<b>NMRV075</b>	<b>80B2</b>	3302	<b>285</b>
	93.3	90	1.9	30			3509	
	70.0	116	1.4	40			3862	
	56.0	139	1.1	50			4160	
	46.7	160	0.9	60			4421	
90.0	100	2.3	10	<b>NMRV075</b>	<b>90L6</b>	3551	<b>285</b>	
60.0	144	1.6	15			4065		
45.0	184	1.3	20			4474		
36.0	225	1.0	25			4820		
30.0	256	1.0	30			5122		
93.3	96	2.1	15	<b>NMRV075</b>	<b>90S4</b>	3509	<b>285</b>	
70.0	123	1.7	20			3862		
56.0	150	1.3	25			4160		
46.7	171	1.3	30			4421		
35.0	216	1.0	40			4865		
35.0	207	1.1	80	<b>NMRV090</b>	<b>80B2</b>	5383	<b>286</b>	
28.0	244	0.8	100			5799		
36.0	231	1.6	25	<b>NMRV090</b>	<b>90L6</b>	5333	<b>286</b>	
30.0	263	1.8	30			5667		
22.5	331	1.2	40			6238		
18.0	397	1.0	50			6719		
15.0	448	0.8	60			7140		




## NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
<b>1.1</b>	35.0	225	1.6	40	<b>NMRV090</b>	<b>90S4</b>	5383	<b>286</b>
	28.0	270	1.3	50			5799	
	23.3	311	1.0	60			6163	
	22.5	345	2.0	40	<b>NMRV105</b>	<b>90L6</b>	7882	<b>287</b>
	18.0	414	1.6	50			8491	
	15.0	476	1.3	60			9023	
	11.3	588	0.9	80			9931	
	28.0	281	2.1	50	<b>NMRV105</b>	<b>90S4</b>	7328	<b>287</b>
	23.3	324	1.7	60			7787	
	17.5	402	1.2	80			8571	
	14.0	473	1.0	100			9232	
	12.4	576	1.9	73	<b>PC090+NMRV105</b>	<b>90L6</b>	9614	<b>294</b>
	9.3	746	1.4	96.8			10320	
	7.4	890	1.1	121			10320	
	6.2	1000	0.9	145.2			10320	
	19.3	392	2.2	73	<b>PC090+NMRV105</b>	<b>90S4</b>	8298	<b>294</b>
	14.5	508	1.6	96.8			9133	
	11.6	599	1.3	121			9838	
	9.6	686	1.0	145.2			10320	
	7.2	828	0.8	193.6			10320	
	9.3	654	1.7	300	<b>NMRV050/105</b>	<b>80B2</b>	10320	<b>298</b>
	7.0	845	1.2	400			10320	
	5.6	1007	1.0	500			10320	
	22.5	345	2.3	40	<b>NMRV110</b>	<b>90L6</b>	7882	<b>288</b>
	18.0	414	1.8	50			8491	
	15.0	476	1.4	60			9023	
	11.3	588	1.0	80			9931	
	28.0	281	2.3	50	<b>NMRV110</b>	<b>90S4</b>	7328	<b>288</b>
	23.3	324	1.9	60			7787	
	17.5	402	1.3	80			8571	
	14.0	473	1.0	100			9232	
	12.4	576	2.2	73	<b>PC090+NMRV110</b>	<b>90L6</b>	9614	<b>294</b>
	9.3	746	1.6	96.8			10320	
	7.4	890	1.2	121			10320	
	6.2	1000	1.0	145.2			10320	
	19.3	392	2.5	73	<b>PC090+NMRV110</b>	<b>90S4</b>	8298	<b>294</b>
	14.5	508	1.8	96.8			9133	
	11.6	599	1.5	121			9838	
	9.6	686	1.1	145.2			10320	
	7.2	828	0.8	193.6			10320	
	9.3	654	1.9	300	<b>NMRV050/110</b>	<b>80B2</b>	10320	<b>299</b>
	7.0	845	1.4	400			10320	
	5.6	1007	1.1	500			10320	
	11.3	598	1.4	80	<b>NMRV130</b>	<b>90L6</b>	12989	<b>289</b>
	9.0	689	1.1	100			13500	
	17.5	408	2.1	80	<b>NMRV130</b>	<b>90S4</b>	11210	<b>289</b>
	14.0	480	1.5	100			12076	



**Prestazioni / Performance / Leistungen / Performances / Prestaciones**
**NMRV**



<b>P1</b> (kW)	<b>n2</b> (1/min)	<b>M2</b> (Nm)	<b>f.s.</b>	<b>i</b>	Grandezza, Size, Größe, Taille, Tamaño		<b>Fr2</b> (N)	
<b>1.1</b>	12.4	585	3.0	73	<b>PC090+NMRV130</b>	<b>90L6</b>	12575	<b>295</b>
	9.3	746	2.2	96.8			13500	
	7.4	890	1.7	121			13500	
	6.2	1000	1.4	145.2			13500	
	4.6	1220	1.0	193.6			13500	
	19.3	398	3.5	73	<b>PC090+NMRV130</b>	<b>90S4</b>	10853	<b>295</b>
	14.5	508	2.6	96.8			11945	
	11.6	608	2.0	121			12868	
	9.6	686	1.6	145.2			13500	
	7.2	843	1.2	193.6			13500	
	5.8	962	0.9	242			13500	
		4.7	1312	1.3			300	
3.5		1671	1.0	400	13500			
2.8		1991	0.8	500	13500			
	9.3	753	3.1	150	<b>NMRV063/150</b>	<b>90S4</b>	18000	<b>299</b>
	7.0	966	2.4	200			18000	
	5.6	1175	1.7	250			18000	
	4.7	1364	1.7	300			18000	
	3.5	1619	1.6	400			18000	
	2.8	1893	1.2	500			18000	
	2.3	2242	1.2	600			18000	
	1.9	2616	0.9	750			18000	
	<b>1.5</b>	560.0	23	1.9			5	
373.3		35	1.5	7.5	1433			
280.0		45	1.2	10	1577			
186.7		65	0.9	15	1805			
186.7		68	1.9	7.5	<b>NMRV063</b>	<b>90L4</b>	2359	<b>284</b>
140.0	89	1.5	10	2597				
93.3	127	1.1	15	2973				
70.0	166	0.8	20	3272				
373.3	35	2.7	7.5	<b>NMRV063</b>			<b>90S2</b>	
280.0	46	2.1	10		2061			
186.7	66	1.6	15		2359			
140.0	86	1.2	20		2597			
112.0	105	0.9	25		2797			
93.3	120	1.0	30		2973			
120.0	105	2.0	7.5		<b>NMRV075</b>	<b>100LA6</b>		3227
90.0	137	1.7	10	3551				
60.0	196	1.2	15	4065				
	56.0	189	0.8	50	<b>NMRV075</b>	<b>90S2</b>	4160	<b>285</b>
	46.7	218	0.7	60			4421	
	140.0	90	2.2	10	<b>NMRV075</b>	<b>90L4</b>	3065	<b>285</b>
	93.3	130	1.5	15			3509	
	70.0	168	1.3	20			3862	
	56.0	205	1.0	25			4160	
	46.7	233	1.0	30			4421	
	280.0	46	3.1	10			<b>NMRV075</b>	
186.7	67	2.2	15	2785				




## NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
<b>1.5</b>	140.0	87	1.8	20	<b>NMRV075</b>	<b>90S2</b>	3065	<b>285</b>
	112.0	106	1.4	25			3302	
	93.3	123	1.4	30			3509	
	70.0	158	1.0	40			3862	
	90.0	138	2.7	10	<b>NMRV090</b>	<b>100LA6</b>	3929	<b>286</b>
	60.0	201	2.1	15			4498	
	45.0	258	1.5	20			4951	
	36.0	314	1.2	25			5333	
	30.0	358	1.3	30			5667	
	70.0	172	2.1	20	<b>NMRV090</b>	<b>90L4</b>	4273	<b>286</b>
	56.0	210	1.6	25			4603	
	46.7	239	1.7	30			4891	
	35.0	307	1.2	40			5383	
	28.0	368	0.9	50			5799	
	23.3	424	0.8	60			6163	
	56.0	194	1.4	50	<b>NMRV090</b>	<b>90S2</b>	4603	<b>286</b>
	46.7	227	1.1	60			4891	
	45.0	264	2.4	20	<b>NMRV105</b>	<b>100LA6</b>	6256	<b>287</b>
	36.0	322	2.0	25			6739	
	30.0	363	2.0	30			7161	
	22.5	471	1.5	40			7882	
	18.0	565	1.2	50			8491	
	15.0	649	1.0	60			9023	
	35.0	319	1.9	40	<b>NMRV105</b>	<b>90L4</b>	6803	<b>287</b>
	28.0	384	1.6	50			7328	
	23.3	442	1.3	60			7787	
	17.5	548	0.9	80			8571	
	46.7	236	1.8	60	<b>NMRV105</b>	<b>90S2</b>	6181	<b>287</b>
	35.0	299	1.3	80			6803	
	28.0	353	1.0	100			7328	
	19.3	535	1.6	73	<b>PC090+NMRV105</b>	<b>90L4</b>	8298	<b>294</b>
	14.5	693	1.2	96.8			9133	
	11.6	817	1.0	121			9838	
	9.6	936	0.8	145.2			10320	
	9.3	891	1.2	300	<b>NMRV050/105</b>	<b>80C2</b>	10320	<b>298</b>
	7.0	1153	0.9	400			10320	
	5.6	1373	0.7	500			10320	
	45.0	264	2.7	20	<b>NMRV110</b>	<b>100LA6</b>	6256	<b>288</b>
	36.0	322	2.4	25			6739	
	30.0	363	2.3	30			7161	
	22.5	471	1.7	40			7882	
	18.0	565	1.3	50			8491	
	15.0	649	1.1	60			9023	
	35.0	319	2.2	40	<b>NMRV110</b>	<b>90L4</b>	6803	<b>288</b>
	28.0	384	1.7	50			7328	
	23.3	442	1.4	60			7787	
	17.5	548	0.9	80			8571	
	46.7	236	2.0	60			<b>NMRV110</b>	
	35.0	299	1.3	80	6803			
	28.0	353	1.0	100	7328			




**Prestazioni / Performance / Leistungen / Performances / Prestaciones**
**NMRV**


<b>P1</b> (kW)	<b>n2</b> (1/min)	<b>M2</b> (Nm)	<b>f.s.</b>	<b>i</b>	<b>Grandezza, Size, Größe, Taille, Tamaño</b>		<b>Fr2</b> (N)	
<b>1.5</b>	19.3	535	1.9	73	<b>PC090+NMRV110</b>	<b>90L4</b>	8298	<b>294</b>
	14.5	693	1.3	96.8			9133	
	11.6	817	1.1	121			9838	
	9.6	936	0.8	145.2			10320	
	9.3	891	1.4	300	<b>NMRV050/110</b>	<b>90S2</b>	10320	<b>299</b>
	7.0	1153	1.0	400			10320	
	5.6	1373	0.8	500			10320	
	22.5	478	2.3	40	<b>NMRV130</b>	<b>100LA6</b>	10309	<b>289</b>
	18.0	573	1.8	50			11105	
	15.0	659	1.4	60			11801	
	11.3	815	1.1	80			12989	
	17.5	557	1.5	80	<b>NMRV130</b>	<b>90L4</b>	11210	<b>289</b>
	14.0	655	1.1	100			12076	
	19.3	542	2.6	73	<b>PC090+NMRV130</b>	<b>90L4</b>	10853	<b>295</b>
	14.5	693	1.9	96.8			11945	
	11.6	830	1.5	121			12868	
	9.6	936	1.1	145.2			13500	
	7.2	1149	0.8	194			13500	
	9.3	915	1.9	300	<b>NMRV063/130</b>	<b>90S2</b>	13500	<b>299</b>
	7.0	1166	1.4	400			13500	
5.6	1389	1.1	500	13500				
4.7	1789	1.0	300	<b>NMRV063/130</b>	<b>90L4</b>	13500	<b>299</b>	
3.5	2279	0.7	400			13500		
9.3	1026	2.3	150	<b>NMRV063/150</b>	<b>90L4</b>	18000	<b>299</b>	
7.0	1317	1.8	200			18000		
5.6	1602	1.3	250			18000		
4.7	1860	1.3	300			18000		
3.5	2208	1.2	400			18000		
2.8	2582	0.9	500			18000		
2.3	3057	0.9	600			18000		
186.7	83	1.5	7.5			<b>NMRV063</b>		<b>90LL4</b>
140.0	109	1.2	10	2597				
93.3	156	0.9	15	2973				
186.7	84	2.2	7.5	<b>NMRV075</b>	<b>90LL4</b>	2785	<b>285</b>	
140.0	110	1.8	10			3065		
93.3	160	1.2	15			3509		
70.0	206	1.0	20			3862		
56.0	251	0.8	25			4160		
46.7	286	0.8	30			4421		
70.0	211	1.7	20			<b>NMRV090</b>		<b>90LL4</b>
56.0	257	1.3	25	4603				
46.7	294	1.4	30	4891				
35.0	377	1.0	40	5383				
28.0	452	0.8	50	5799				
56.0	264	2.2	25	<b>NMRV105</b>	<b>90LL4</b>	5816	<b>287</b>	
35.0	392	1.6	40			6803		
28.0	471	1.3	50			7328		
23.3	542	1.0	60			7787		








## NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
<b>1.84</b>	19.3	656	1.3	73	<b>PC090+NMRV105</b>	<b>90LL4</b>	8298	<b>294</b>
	14.5	850	1.0	96.8			9133	
	11.6	1002	0.8	121			9838	
	56.0	264	2.6	25	<b>NMRV110</b>	<b>90LL4</b>	5816	<b>288</b>
	35.0	392	1.8	40			6803	
	28.0	471	1.4	50			7328	
	23.3	542	1.1	60			7787	
	19.3	656	1.5	73	<b>PC090+NMRV110</b>	<b>90LL4</b>	8298	<b>294</b>
	14.5	850	1.1	96.8			9133	
	11.6	1002	0.9	121			9838	
	17.5	683	1.2	80	<b>NMRV130</b>	<b>90LL4</b>	11210	<b>289</b>
	14.0	803	0.9	100			12076	
	19.3	665	2.1	73	<b>PC090+NMRV130</b>	<b>90LL4</b>	10853	<b>295</b>
	14.5	850	1.5	96.8			11945	
	11.6	1018	1.2	121			12868	
	9.6	1148	0.9	145.2			13500	
	9.3	1259	1.9	150	<b>NMRV063/150</b>	<b>90LL4</b>	18000	<b>299</b>
	7.0	1616	1.4	200			18000	
5.6	1966	1.0	250	18000				
4.7	2281	1.0	300	18000				
3.5	2708	1.0	400	18000				
2.8	3167	0.7	500	18000				
373.3	51	1.8	7.5	<b>NMRV063</b>			<b>90L2</b>	
280.0	67	1.5	10		2061			
186.7	97	1.1	15		2359			
186.7	100	1.8	7.5	<b>NMRV075</b>	<b>100LA4</b>	2785	<b>285</b>	
140.0	132	1.5	10			3065		
93.3	191	1.0	15			3509		
373.3	51	2.5	7.5	<b>NMRV075</b>	<b>90L2</b>	2210	<b>285</b>	
280.0	68	2.1	10			2433		
186.7	98	1.5	15			2785		
140.0	128	1.3	20			3065		
112.0	156	1.0	25			3302		
93.3	180	0.9	30			3509		
186.7	101	2.9	7.5			<b>NMRV090</b>		<b>100LA4</b>
140.0	134	2.3	10	3391				
93.3	194	1.9	15	3882				
70.0	252	1.4	20	4273				
56.0	308	1.1	25	4603				
46.7	351	1.2	30	4891				
120.0	156	2.2	7.5	<b>NMRV090</b>	<b>112M6</b>		3570	
90.0	203	1.8	10			3929		
60.0	294	1.4	15			4498		
45.0	378	1.0	20			4951		
140.0	131	2.0	20	<b>NMRV090</b>	<b>90L2</b>	3391	<b>286</b>	
112.0	159	1.6	25			3653		
93.3	185	1.7	30			3882		
70.0	237	1.2	40			4273		
56.0	285	0.9	50			4603		



**Prestazioni / Performance / Leistungen / Performances / Prestaciones**
**NMRV**



<b>P1</b> (kW)	<b>n2</b> (1/min)	<b>M2</b> (Nm)	<b>f.s.</b>	<b>i</b>	<b>Grandezza, Size, Größe, Taille, Tamaño</b>		<b>Fr2</b> (N)	
<b>2.2</b>	70.0	255	2.2	20	<b>NMRV105</b>	<b>100LA4</b>	5399	<b>287</b>
	56.0	315	1.9	25			5816	
	46.7	356	1.8	30			6181	
	35.0	468	1.3	40			6803	
	28.0	563	1.1	50			7328	
	23.3	648	0.9	60			7787	
	90.0	205	3.0	10	<b>NMRV105</b>	<b>112M6</b>	4965	<b>287</b>
	60.0	298	2.2	15			5684	
	45.0	388	1.6	20			6256	
	36.0	473	1.4	25			6739	
	30.0	532	1.4	30			7161	
	112.0	163	2.7	25	<b>NMRV105</b>	<b>90L2</b>	4616	<b>287</b>
	93.3	187	2.6	30			4905	
	70.0	246	1.9	40			5399	
	56.0	296	1.5	50			5816	
	46.7	347	1.2	60			6181	
	38.6	398	1.8	73	<b>PC090+NMRV105</b>	<b>90L2</b>	6586	<b>294</b>
	28.9	516	1.3	96.8			7249	
	23.1	617	1.1	121			7809	
	70.0	255	2.5	20	<b>NMRV110</b>	<b>100LA4</b>	5399	<b>288</b>
	56.0	315	2.2	25			5816	
	46.7	356	2.0	30			6181	
	35.0	468	1.5	40			6803	
	28.0	563	1.2	50			7328	
	23.3	648	1.0	60			7787	
	90.0	205	3.5	10	<b>NMRV110</b>	<b>112M6</b>	4965	<b>288</b>
	60.0	298	2.6	15			5684	
	45.0	388	1.9	20			6256	
	36.0	473	1.6	25			6739	
	30.0	532	1.6	30			7161	
	112.0	163	3.1	25	<b>NMRV110</b>	<b>90L2</b>	4616	<b>288</b>
	93.3	187	3.0	30			4905	
	70.0	246	2.1	40			5399	
	56.0	296	1.7	50			5816	
	46.7	347	1.4	60			6181	
	38.6	398	2.1	73	<b>PC090+NMRV110</b>	<b>90L2</b>	6586	<b>294</b>
	28.9	516	1.5	96.8			7249	
	23.1	617	1.2	121			7809	
	35.0	468	2.2	40	<b>NMRV130</b>	<b>100LA4</b>	8897	<b>289</b>
	28.0	563	1.7	50			9584	
	23.3	648	1.4	60			10185	
	17.5	816	1.0	80			11210	
	36.0	479	2.2	25	<b>NMRV130</b>	<b>112M6</b>	8814	<b>289</b>
	30.0	546	2.1	30			9366	
	22.5	700	1.6	40			10309	
	18.0	840	1.2	50			11105	
	15.0	966	1.0	60			11801	
	35.0	438	1.3	80	<b>NMRV130</b>	<b>90L2</b>	8897	<b>289</b>
	28.0	525	1.0	100			9584	




## NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones



P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
<b>2.2</b>	38.6	409	2.9	73	<b>PC090+NMRV130</b>	<b>90L2</b>	8614	<b>295</b>
	28.9	545	2.0	96.8			9481	
	23.1	654	1.6	121			10213	
	19.3	752	1.3	145.2			10853	
	28.0	570	2.5	50	<b>NMRV150</b>	<b>100LA4</b>	13103	<b>290</b>
	23.3	657	1.9	60			13924	
	17.5	816	1.4	80			15325	
	14.0	960	1.0	100			16508	
<b>3</b>	373.3	70	1.9	7.5	<b>NMRV075</b>	<b>100LA2</b>	2210	<b>285</b>
	280.0	92	1.6	10			2433	
	186.7	137	1.4	7.5	<b>NMRV075</b>	<b>100LB4</b>	2785	<b>285</b>
	140.0	180	1.1	10			3065	
	93.3	261	0.8	15			3509	
	373.3	71	3.0	7.5	<b>NMRV090</b>	<b>100LA2</b>	2446	<b>286</b>
	280.0	92	2.6	10			2692	
	186.7	138	2.1	7.5	<b>NMRV090</b>	<b>100LB4</b>	3081	<b>286</b>
	140.0	182	1.7	10			3391	
	93.3	264	1.4	15			3882	
	70.0	344	1.0	20			4273	
	56.0	420	0.8	25			4603	
	46.7	479	0.9	30			4891	
	93.3	264	2.2	15			<b>NMRV105</b>	
70.0	348	1.6	20	5399				
56.0	430	1.4	25	5816				
46.7	485	1.3	30	6181				
35.0	638	1.0	40	6803				
28.0	767	0.8	50	7328				
120.0	212	2.7	7.5	<b>NMRV105</b>	<b>132S6</b>	4511		<b>287</b>
90.0	280	2.2	10			4965		
60.0	406	1.6	15			5684		
45.0	528	1.2	20			6256		
	93.3	264	2.5	15	<b>NMRV110</b>	<b>100LB4</b>	4905	<b>288</b>
	70.0	348	1.9	20			5399	
	56.0	430	1.6	25			5816	
	46.7	485	1.5	30			6181	
	35.0	638	1.1	40			6803	
	28.0	767	0.9	50			7328	
	120.0	212	3.1	7.5	<b>NMRV110</b>	<b>132S6</b>	4511	<b>288</b>
	90.0	280	2.5	10			4965	
	60.0	406	1.9	15			5684	
	45.0	528	1.4	20			6256	
	56.0	430	2.2	25	<b>NMRV130</b>	<b>100LB4</b>	7607	<b>289</b>
	46.7	491	2.1	30			8084	
	35.0	638	1.6	40			8897	
	28.0	767	1.3	50			9584	
	23.3	884	1.0	60			10185	
	17.5	1113	0.8	80			11210	
	90.0	280	3.4	10			<b>NMRV130</b>	
60.0	406	2.6	15	7434				
45.0	535	1.9	20	8182				



**Prestazioni / Performance / Leistungen / Performances / Prestaciones**
**NMRV**

<b>P1</b> (kW)	<b>n2</b> (1/min)	<b>M2</b> (Nm)	<b>f.s.</b>	<b>i</b>	<b>Grandezza, Size, Größe, Taille, Tamaño</b>		<b>Fr2</b> (N)		
<b>3</b>	36.0	653	1.6	25	<b>NMRV130</b>	<b>132S6</b>	8814	<b>289</b>	
	30.0	745	1.6	30			9366		
	22.5	955	1.2	40			10309		
	28.0	778	1.8	50	<b>NMRV150</b>	<b>100LB4</b>	13103	<b>290</b>	
	23.3	896	1.4	60			13924		
	17.5	1113	1.0	80			15325		
	14.0	1310	0.8	100			16508		
	<b>4</b>	373.3	93	1.4	7.5	<b>NMRV075</b>	<b>112M2</b>	2210	<b>285</b>
		280.0	123	1.2	10			2433	
186.7		182	1.0	7.5	<b>NMRV075</b>	<b>112M4</b>	2785	<b>285</b>	
140.0		240	0.8	10			3065		
373.3		94	2.2	7.5	<b>NMRV090</b>	<b>112M2</b>	2446	<b>286</b>	
280.0		123	1.9	10			2692		
186.7		184	1.6	7.5	<b>NMRV090</b>	<b>112M4</b>	3081	<b>286</b>	
140.0		243	1.3	10			3391		
93.3		352	1.0	15			3882		
70.0		458	0.8	20			4273		
140.0		243	2.1	10	<b>NMRV105</b>	<b>112M4</b>	4285	<b>287</b>	
93.3		352	1.6	15			4905		
70.0		464	1.2	20			5399		
56.0		573	1.0	25			5816		
46.7		647	1.0	30			6181		
120.0		283	2.0	7.5	<b>NMRV105</b>	<b>132M6</b>	4511	<b>287</b>	
90.0		374	1.7	10			4965		
60.0		541	1.2	15			5684		
140.0		243	2.5	10	<b>NMRV110</b>	<b>112M4</b>	4285	<b>288</b>	
93.3		352	1.9	15			4905		
70.0		464	1.4	20			5399		
56.0		573	1.2	25			5816		
46.7		647	1.1	30			6181		
120.0		283	2.3	7.5	<b>NMRV110</b>	<b>132M6</b>	4511	<b>288</b>	
90.0		374	1.9	10			4965		
60.0		541	1.4	15			5684		
56.0		573	1.6	25	<b>NMRV130</b>	<b>112M4</b>	7607	<b>289</b>	
46.7		655	1.6	30			8084		
35.0		851	1.2	40			8897		
28.0		1023	1.0	50			9584		
23.3	1179	0.8	60	10185					
120.0	287	3.1	7.5	<b>NMRV130</b>			<b>132M6</b>		5901
90.0	374	2.6	10		6494				
60.0	541	2.0	15		7434				
45.0	713	1.5	20		8182				
36.0	870	1.2	25		8814				
28.0	1037	1.4	50		<b>NMRV150</b>	<b>112M4</b>		13103	<b>290</b>
23.3	1195	1.1	60	13924					
17.5	1484	0.8	80	15325					





## NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
<b>4.8</b>	186.7	221	1.3	7.5	<b>NMRV090</b>	<b>112MS4</b>	3081	<b>286</b>
	140.0	291	1.1	10			3391	
	93.3	422	0.9	15			3882	
	186.7	221	2.2	7.5	<b>NMRV105</b>	<b>112MS4</b>	3893	<b>287</b>
	140.0	291	1.8	10			4285	
	93.3	422	1.3	15			4905	
	70.0	557	1.0	20			5399	
	56.0	688	0.9	25			5816	
	186.7	221	2.5	7.5	<b>NMRV110</b>	<b>112MS4</b>	3893	<b>288</b>
	140.0	291	2.1	10			4285	
	93.3	422	1.6	15			4905	
	70.0	557	1.2	20			5399	
	56.0	688	1.0	25			5816	
	56.0	688	1.4	25	<b>NMRV130</b>	<b>112MS4</b>	7607	<b>289</b>
	46.7	786	1.3	30			8084	
35.0	1022	1.0	40	8897				
28.0	1228	0.8	50	9584				
28.0	1244	1.1	50	13103				
23.3	1434	0.9	60	13924				
186.7	253	1.9	7.5	<b>NMRV105</b>			<b>132S4</b>	
140.0	334	1.6	10		4285			
93.3	484	1.2	15		4905			
70.0	638	0.9	20		5399			
186.7	253	2.2	7.5	<b>NMRV110</b>	<b>132S4</b>	3893	<b>288</b>	
140.0	334	1.8	10			4285		
93.3	484	1.4	15			4905		
70.0	638	1.0	20			5399		
140.0	334	2.5	10	<b>NMRV130</b>	<b>132S4</b>	5605	<b>289</b>	
93.3	490	1.9	15			6416		
70.0	645	1.4	20			7062		
56.0	788	1.2	25			7607		
46.7	900	1.2	30			8084		
35.0	1171	0.9	40			8897		
70.0	645	2.0	20			<b>NMRV150</b>		<b>132S4</b>
56.0	788	1.5	25	10400				
46.7	934	1.3	30	11051				
35.0	1171	1.3	40	12163				
28.0	1426	1.0	50	13103				
23.3	1643	0.8	60	13924				
<b>7.5</b>	186.7	345	1.4	7.5	<b>NMRV105</b>	<b>132L4</b>	3893	<b>287</b>
	140.0	455	1.1	10			4285	
	93.3	660	0.9	15			4905	
	186.7	345	1.6	7.5	<b>NMRV110</b>	<b>132L4</b>	3893	<b>288</b>
	140.0	455	1.3	10			4285	
	93.3	660	1.0	15			4905	



Prestazioni / Performance / Leistungen / Performances / Prestaciones

NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)					
<b>7.5</b>	186.7	349	2.1	7.5	<b>NMRV130</b>	<b>132L4</b>	5092	<b>289</b>				
	140.0	455	1.8	10			5605					
	93.3	668	1.4	15			6416					
	70.0	880	1.0	20			7062					
	56.0	1074	0.9	25			7607					
	46.7	1228	0.8	30	8084							
	35.0	1596	0.7	40	8897							
	70.0	880	1.5	20	<b>NMRV150</b>	<b>132L4</b>	9654	<b>290</b>				
	56.0	1074	1.1	25			10400					
	46.7	1274	0.9	30			11051					
	35.0	1596	1.0	40			12163					
	<b>9.2</b>	186.7	424	1.3	7.5	<b>NMRV110</b>	<b>132M4</b>	3893	<b>288</b>			
		186.7	428	1.8	7.5			<b>NMRV130</b>		<b>132M4</b>	5092	<b>289</b>
		140.0	559	1.5	10						5605	
		93.3	819	1.1	15						6416	
70.0		1079	0.8	20	7062							
56.0		1318	0.7	25	7607							
70.0		1079	1.2	20	<b>NMRV150</b>	<b>132M4</b>	9654	<b>290</b>				
56.0		1318	0.9	25			10400					
46.7		1563	0.8	30			11051					
35.0		1958	0.8	40			12163					
<b>11</b>		186.7	512	2.3	7.5	<b>NMRV150</b>	<b>160M4</b>	6962	<b>290</b>			
		140.0	675	1.8	10			7663				
		93.3	990	1.3	15			8771				
		70.0	1291	1.0	20			9654				
		56.0	1576	0.8	25			10400				
<b>15</b>	186.7	698	1.7	7.5	<b>NMRV150</b>	<b>160L4</b>	6962	<b>290</b>				
	140.0	921	1.3	10			7663					
	93.3	1351	0.9	15			8771					
	70.0	1760	0.7	20			9654					

Note / Notes / Aufzeichnung / Notes / Notas

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---

---


---

---

---


---


---




**NRV Prestazioni / Performance / Leistungen / Performances / Prestaciones**


**(n1=2800)**

<b>M2 (Nm)</b>	<b>i</b>	<b>P1 (kW)</b>	<b>n2 (1/min)</b>	<b>Grandezza, Size, Größe, Taille, Tamaño</b>	<b>Fr2 (N)</b>	<b>Fr1 (N)</b>	
<b>12</b>	5	0.79	560.0	<b>NRV030</b>	474	115	<b>302</b>
<b>13</b>	7.5	0.58	373.3		542	125	
<b>13</b>	10	0.45	280.0		597	140	
<b>13</b>	15	0.31	186.7		683	140	
<b>12</b>	20	0.23	140.0		752	146	
<b>16</b>	25	0.25	112.0		810	210	
<b>15</b>	30	0.21	93.3		861	210	
<b>14</b>	40	0.16	70.0		948	127	
<b>13</b>	50	0.12	56.0		1021	128	
<b>12</b>	60	0.10	46.7		1085	126	
<b>11</b>	80	0.08	35.0		1194	130	
<b>24</b>	5	1.6	560.0	<b>NRV040</b>	912	200	<b>302</b>
<b>28</b>	7.5	1.2	373.3		1044	233	
<b>29</b>	10	1.0	280.0		1149	272	
<b>31</b>	15	0.72	186.7		1315	291	
<b>29</b>	20	0.52	140.0		1447	204	
<b>28</b>	25	0.42	112.0		1559	236	
<b>34</b>	30	0.44	93.3		1657	350	
<b>31</b>	40	0.32	70.0		1824	350	
<b>30</b>	50	0.26	56.0		1964	350	
<b>28</b>	60	0.21	46.7		2087	350	
<b>25</b>	80	0.16	35.0		2298	350	
<b>23</b>	100	0.12	28.0		2475	350	
<b>45</b>	5	2.9	560.0		<b>NRV050</b>	1251	
<b>52</b>	7.5	2.3	373.3	1433		324	
<b>54</b>	10	1.8	280.0	1577		378	
<b>57</b>	15	1.3	186.7	1805		399	
<b>53</b>	20	0.95	140.0	1987		417	
<b>51</b>	25	0.75	112.0	2140		482	
<b>64</b>	30	0.82	93.3	2274		490	
<b>59</b>	40	0.59	70.0	2503		490	
<b>53</b>	50	0.45	56.0	2696		490	
<b>50</b>	60	0.37	46.7	2865		490	
<b>45</b>	80	0.27	35.0	3153		490	
<b>40</b>	100	0.21	28.0	3397		490	
<b>93</b>	7.5	4.0	373.3	<b>NRV063</b>		1873	395
<b>97</b>	10	3.2	280.0		2061	463	
<b>103</b>	15	2.3	186.7		2359	492	
<b>100</b>	20	1.7	140.0		2597	538	
<b>92</b>	25	1.3	112.0		2797	593	
<b>120</b>	30	1.5	93.3		2973	700	
<b>108</b>	40	1.1	70.0		3272	700	
<b>100</b>	50	0.83	56.0		3524	700	
<b>95</b>	60	0.68	46.7		3745	700	
<b>85</b>	80	0.49	35.0		4122	700	
<b>74</b>	100	0.37	28.0		4440	700	
<b>130</b>	7.5	5.6	373.3	<b>NRV075</b>	2210	560	<b>302</b>
<b>145</b>	10	4.7	280.0		2433	703	
<b>150</b>	15	3.4	186.7		2785	727	
<b>160</b>	20	2.8	140.0		3065	872	
<b>150</b>	25	2.1	112.0		3302	980	
<b>170</b>	30	2.1	93.3		3509	980	
<b>165</b>	40	1.6	70.0		3862	980	
<b>150</b>	50	1.2	56.0		4160	980	
<b>145</b>	60	1.0	46.7		4421	980	
<b>130</b>	80	0.72	35.0		4865	980	
<b>120</b>	100	0.58	28.0		5241	980	


**(n1=2800)**


<b>M2</b> (Nm)	<b>i</b>	<b>P1</b> (kW)	<b>n2</b> (1/min)	Grandezza, Size, Größe, Taille, Tamaño	<b>Fr2</b> (N)	<b>Fr1</b> (N)	
<b>210</b>	7.5	8.9	373.3	<b>NRV090</b>	2446	715	<b>302</b>
<b>235</b>	10	7.7	280.0		2692	900	
<b>270</b>	15	6.0	186.7		3081	1034	
<b>260</b>	20	4.4	140.0		3391	1120	
<b>250</b>	25	3.4	112.0		3653	1270	
<b>310</b>	30	3.7	93.3		3882	1270	
<b>275</b>	40	2.6	70.0		4273	1270	
<b>265</b>	50	2.0	56.0		4603	1270	
<b>245</b>	60	1.6	46.7		4891	1270	
<b>225</b>	80	1.2	35.0		5383	1270	
<b>200</b>	100	0.9	28.0		5799	1270	
<b>340</b>	7.5	14.4	373.3	<b>NRV105</b>	3090	950	<b>302</b>
<b>380</b>	10	12.2	280.0		3401	1194	
<b>425</b>	15	9.3	186.7		3893	1336	
<b>420</b>	20	7.0	140.0		4285	1485	
<b>440</b>	25	5.9	112.0		4616	1700	
<b>480</b>	30	5.7	93.3		4905	1700	
<b>460</b>	40	4.1	70.0		5399	1700	
<b>450</b>	50	3.3	56.0		5816	1700	
<b>430</b>	60	2.7	46.7		6181	1700	
<b>380</b>	80	1.9	35.0		6803	1700	
<b>350</b>	100	1.5	28.0		7328	1700	
<b>391</b>	7.5	16.6	373.3	<b>NRV110</b>	3090	950	<b>302</b>
<b>437</b>	10	14.1	280.0		3401	1194	
<b>489</b>	15	10.7	186.7		3893	1337	
<b>483</b>	20	8.0	140.0		4285	1485	
<b>506</b>	25	6.8	112.0		4616	1700	
<b>552</b>	30	6.5	93.3		4905	1700	
<b>529</b>	40	4.7	70.0		5399	1700	
<b>495</b>	50	3.7	56.0		5816	1700	
<b>473</b>	60	3.0	46.7		6181	1700	
<b>399</b>	80	2.0	35.0		6803	1700	
<b>368</b>	100	1.6	28.0		7328	1700	
<b>520</b>	7.5	22.1	373.3	<b>NRV130</b>	4042	1190	<b>302</b>
<b>580</b>	10	18.7	280.0		4449	1493	
<b>670</b>	15	14.7	186.7		5092	1725	
<b>660</b>	20	11.0	140.0		5605	1912	
<b>670</b>	25	9.0	112.0		6038	2100	
<b>770</b>	30	9.0	93.3		6416	2100	
<b>730</b>	40	6.5	70.0		7062	2100	
<b>700</b>	50	5.1	56.0		7607	2100	
<b>640</b>	60	4.0	46.7		8084	2100	
<b>590</b>	80	3.0	35.0		8897	2100	
<b>520</b>	100	2.2	28.0		9584	2100	
<b>840</b>	7.5	35.7	373.3	<b>NRV150</b>	5526	1550	<b>302</b>
<b>890</b>	10	28.4	280.0		6082	1848	
<b>910</b>	15	19.8	186.7		6962	1889	
<b>980</b>	20	16.1	140.0		7663	2289	
<b>890</b>	25	12.0	112.0		8254	2494	
<b>920</b>	30	10.5	93.3		8771	2800	
<b>1200</b>	40	10.6	70.0		9654	2800	
<b>1100</b>	50	8.1	56.0		10400	2800	
<b>990</b>	60	6.2	46.7		11051	2800	
<b>920</b>	80	4.6	35.0		12163	2800	
<b>810</b>	100	3.3	28.0		13103	2800	








**NRV Prestazioni / Performance / Leistungen / Performances / Prestaciones**

**(n1=1400)**

<b>M2 (Nm)</b>	<b>i</b>	<b>P1 (kW)</b>	<b>n2 (1/min)</b>	<b>Grandezza, Size, Größe, Taille, Tamaño</b>	<b>Fr2 (N)</b>	<b>Fr1 (N)</b>			
<b>18</b>	5	0.61	280.0	<b>NRV030</b>	597	150	<b>302</b>		
<b>18</b>	7.5	0.41	186.7		683	150			
<b>18</b>	10	0.32	140.0		752	169			
<b>18</b>	15	0.23	93.3		861	169			
<b>18</b>	20	0.18	70.0		948	190			
<b>21</b>	25	0.18	56.0		1021	210			
<b>20</b>	30	0.15	46.7		1085	210			
<b>18</b>	40	0.11	35.0		1194	210			
<b>17</b>	50	0.09	28.0		1286	210			
<b>16</b>	60	0.08	23.3		1367	210			
<b>13</b>	80	0.05	17.5		1504	210			
<b>34</b>	5	1.1	280.0	<b>NRV040</b>	1149	250	<b>302</b>		
<b>40</b>	7.5	0.90	186.7		1315	294			
<b>40</b>	10	0.69	140.0		1447	331			
<b>40</b>	15	0.48	93.3		1657	331			
<b>39</b>	20	0.37	70.0		1824	350			
<b>38</b>	25	0.30	56.0		1964	350			
<b>38</b>	25	0.30	56.0		1964	350			
<b>45</b>	30	0.31	46.7		2087	350			
<b>41</b>	40	0.23	35.0		2298	350			
<b>39</b>	50	0.18	28.0		2475	350			
<b>36</b>	60	0.15	23.3		2630	350			
<b>33</b>	80	0.12	17.5		2895	350			
<b>29</b>	100	0.09	14.0		3118	350			
<b>62</b>	5	2.0	280.0		<b>NRV050</b>	1577		350	<b>302</b>
<b>71</b>	7.5	1.6	186.7	1805		401			
<b>72</b>	10	1.2	140.0	1987		490			
<b>74</b>	15	0.88	93.3	2274		490			
<b>73</b>	20	0.68	70.0	2503		490			
<b>70</b>	25	0.54	56.0	2696		490			
<b>84</b>	30	0.57	46.7	2865		490			
<b>76</b>	40	0.42	35.0	3153		490			
<b>73</b>	50	0.34	28.0	3397		490			
<b>68</b>	60	0.28	23.3	3610		490			
<b>65</b>	80	0.22	17.5	3973		490			
<b>55</b>	100	0.16	14.0	4280		490			
<b>128</b>	7.5	2.8	186.7	<b>NRV063</b>		2359	500	<b>302</b>	
<b>130</b>	10	2.2	140.0			2597	571		
<b>140</b>	15	1.6	93.3		2973	615			
<b>135</b>	20	1.2	70.0		3272	667			
<b>130</b>	25	1.0	56.0		3524	700			
<b>160</b>	30	1.1	46.7		3745	700			
<b>145</b>	40	0.76	35.0		4122	700			
<b>135</b>	50	0.60	28.0		4440	700			
<b>130</b>	60	0.51	23.3		4719	700			
<b>122</b>	80	0.39	17.5		5193	700			
<b>118</b>	100	0.34	14.0		5595	700			
<b>185</b>	7.5	4.1	186.7	<b>NRV075</b>	2785	700	<b>302</b>		
<b>195</b>	10	3.2	140.0		3065	830			
<b>200</b>	15	2.3	93.3		3509	851			
<b>210</b>	20	1.9	70.0		3862	980			
<b>200</b>	25	1.5	56.0		4160	980			
<b>230</b>	30	1.5	46.7		4421	980			
<b>220</b>	40	1.1	35.0		4865	980			
<b>210</b>	50	0.89	28.0		5241	980			
<b>200</b>	60	0.75	23.3		5569	980			
<b>190</b>	80	0.58	17.5		6130	980			
<b>180</b>	100	0.48	14.0		6603	980			



**(n1=1400)**


<b>M2</b> (Nm)	<b>i</b>	<b>P1</b> (kW)	<b>n2</b> (1/min)	Grandezza, Size, Größe, Taille, Tamaño	<b>Fr2</b> (N)	<b>Fr1</b> (N)	
<b>290</b>	7.5	6.3	186.7	<b>NRV090</b>	3081	900	<b>302</b>
<b>310</b>	10	5.1	140.0		3391	1082	
<b>360</b>	15	4.1	93.3		3882	1257	
<b>355</b>	20	3.1	70.0		4273	1270	
<b>340</b>	25	2.4	56.0		4603	1270	
<b>410</b>	30	2.6	46.7		4891	1270	
<b>360</b>	40	1.8	35.0		5383	1270	
<b>340</b>	50	1.4	28.0		5799	1270	
<b>320</b>	60	1.1	23.3		6163	1270	
<b>285</b>	80	0.83	17.5		6783	1270	
<b>270</b>	100	0.67	14.0		7306	1270	
<b>480</b>	7.5	10.4	186.7	<b>NRV105</b>	3893	1200	<b>302</b>
<b>520</b>	10	8.6	140.0		4285	1463	
<b>570</b>	15	6.5	93.3		4905	1603	
<b>560</b>	20	4.8	70.0		5399	1700	
<b>590</b>	25	4.1	56.0		5816	1700	
<b>630</b>	30	3.9	46.7		6181	1700	
<b>610</b>	40	2.9	35.0		6803	1700	
<b>600</b>	50	2.3	28.0		7328	1700	
<b>560</b>	60	1.9	23.3		7787	1700	
<b>490</b>	80	1.3	17.5		8571	1700	
<b>460</b>	100	1.1	14.0		9232	1700	
<b>552</b>	7.5	12.0	186.7	<b>NRV110</b>	3893	1200	<b>302</b>
<b>598</b>	10	9.8	140.0		4285	1463	
<b>656</b>	15	7.5	93.3		4905	1604	
<b>644</b>	20	5.6	70.0		5399	1700	
<b>679</b>	25	4.7	56.0		5816	1700	
<b>725</b>	30	4.5	46.7		6181	1700	
<b>702</b>	40	3.3	35.0		6803	1700	
<b>660</b>	50	2.6	28.0		7328	1700	
<b>616</b>	60	2.1	23.3		7787	1700	
<b>515</b>	80	1.4	17.5		8571	1700	
<b>483</b>	100	1.1	14.0		9232	1700	
<b>750</b>	7.5	16.1	186.7	<b>NRV130</b>	5092	1500	<b>302</b>
<b>820</b>	10	13.5	140.0		5605	1845	
<b>920</b>	15	10.3	93.3		6416	2070	
<b>910</b>	20	7.8	70.0		7062	2100	
<b>930</b>	25	6.5	56.0		7607	2100	
<b>1040</b>	30	6.4	46.7		8084	2100	
<b>1050</b>	40	4.9	35.0		8897	2100	
<b>980</b>	50	3.8	28.0		9584	2100	
<b>900</b>	60	3.1	23.3		10185	2100	
<b>840</b>	80	2.3	17.5		11210	2100	
<b>740</b>	100	1.7	14.0		12076	2100	
<b>1200</b>	7.5	25.8	186.7	<b>NRV150</b>	6962	1950	<b>302</b>
<b>1240</b>	10	20.2	140.0		7663	2267	
<b>1250</b>	15	13.9	93.3		8771	2285	
<b>1300</b>	20	11.1	70.0		9654	2674	
<b>1200</b>	25	8.4	56.0		10400	2800	
<b>1200</b>	30	7.1	46.7		11051	2800	
<b>1550</b>	40	7.3	35.0		12163	2800	
<b>1400</b>	50	5.4	28.0		13103	2800	
<b>1260</b>	60	4.2	23.3		13924	2800	
<b>1150</b>	80	3.1	17.5		15325	2800	
<b>1000</b>	100	2.3	14.0		16508	2800	





**NRV Prestazioni / Performance / Leistungen / Performances / Prestaciones**

**(n1=900)**

<b>M2 (Nm)</b>	<b>i</b>	<b>P1 (kW)</b>	<b>n2 (1/min)</b>	<b>Grandezza, Size, Größe, Taille, Tamaño</b>	<b>Fr2 (N)</b>	<b>Fr1 (N)</b>	
<b>20</b>	5	0.44	180.0	<b>NRV030</b>	692	175	<b>302</b>
<b>20</b>	7.5	0.30	120.0		792	175	
<b>20</b>	10	0.24	90.0		871	197	
<b>20</b>	15	0.17	60.0		997	197	
<b>20</b>	20	0.13	45.0		1098	210	
<b>23</b>	25	0.14	36.0		1183	210	
<b>21</b>	30	0.11	30.0		1257	210	
<b>20</b>	40	0.09	22.5		1383	210	
<b>18</b>	50	0.07	18.0		1490	210	
<b>17</b>	60	0.06	15.0		1583	210	
<b>15</b>	80	0.04	11.3		1743	210	
<b>40</b>	5	0.87	180.0	<b>NRV040</b>	1331	290	<b>302</b>
<b>44</b>	7.5	0.65	120.0		1524	319	
<b>44</b>	10	0.50	90.0		1677	350	
<b>45</b>	15	0.36	60.0		1920	350	
<b>44</b>	20	0.28	45.0		2113	350	
<b>43</b>	25	0.23	36.0		2276	350	
<b>49</b>	30	0.23	30.0		2419	350	
<b>45</b>	40	0.17	22.5		2662	350	
<b>42</b>	50	0.14	18.0		2868	350	
<b>39</b>	60	0.11	15.0		3047	350	
<b>35</b>	80	0.09	11.3		3354	350	
<b>32</b>	100	0.07	9.0	3490	350		
<b>75</b>	5	1.6	180.0	<b>NRV050</b>	1827	400	<b>302</b>
<b>84</b>	7.5	1.2	120.0		2091	448	
<b>84</b>	10	0.94	90.0		2302	490	
<b>84</b>	15	0.67	60.0		2635	490	
<b>77</b>	20	0.48	45.0		2900	490	
<b>75</b>	25	0.39	36.0		3124	490	
<b>90</b>	30	0.42	30.0		3320	490	
<b>82</b>	40	0.31	22.5		3654	490	
<b>77</b>	50	0.25	18.0		3936	490	
<b>72</b>	60	0.21	15.0		4183	490	
<b>68</b>	80	0.16	11.3		4604	490	
<b>56</b>	100	0.12	9.0	4840	490		
<b>151</b>	7.5	2.2	120.0	<b>NRV063</b>	2734	580	<b>302</b>
<b>153</b>	10	1.7	90.0		3009	661	
<b>155</b>	15	1.2	60.0		3444	670	
<b>148</b>	20	0.91	45.0		3791	700	
<b>137</b>	25	0.69	36.0		4084	700	
<b>175</b>	30	0.79	30.0		4339	700	
<b>160</b>	40	0.58	22.5		4776	700	
<b>145</b>	50	0.45	18.0		5145	700	
<b>138</b>	60	0.37	15.0		5467	700	
<b>128</b>	80	0.29	11.3		6018	700	
<b>124</b>	100	0.25	9.0		6270	700	
<b>215</b>	7.5	3.1	120.0	<b>NRV075</b>	3227	810	<b>302</b>
<b>230</b>	10	2.5	90.0		3551	975	
<b>235</b>	15	1.8	60.0		4065	980	
<b>235</b>	20	1.4	45.0		4474	980	
<b>215</b>	25	1.1	36.0		4820	980	
<b>260</b>	30	1.1	30.0		5122	980	
<b>240</b>	40	0.83	22.5		5637	980	
<b>220</b>	50	0.65	18.0		6073	980	
<b>210</b>	60	0.54	15.0		6453	980	
<b>200</b>	80	0.43	11.3		7103	980	
<b>190</b>	100	0.36	9.0		7380	980	



**(n1=900)**


<b>M2</b> (Nm)	<b>i</b>	<b>P1</b> (kW)	<b>n2</b> (1/min)	Grandezza, Size, Größe, Taille, Tamaño	<b>Fr2</b> (N)	<b>Fr1</b> (N)	
<b>340</b>	7.5	4.8	120.0	<b>NRV090</b>	3570	1040	<b>302</b>
<b>370</b>	10	4.0	90.0		3929	1270	
<b>420</b>	15	3.1	60.0		4498	1270	
<b>390</b>	20	2.3	45.0		4951	1270	
<b>370</b>	25	1.8	36.0		5333	1270	
<b>460</b>	30	1.9	30.0		5667	1270	
<b>410</b>	40	1.4	22.5		6238	1270	
<b>390</b>	50	1.1	18.0		6719	1270	
<b>350</b>	60	0.86	15.0		7140	1270	
<b>315</b>	80	0.63	11.3		7859	1270	
<b>280</b>	100	0.49	9.0		8180	1270	
<b>565</b>	7.5	8.0	120.0	<b>NRV105</b>	4511	1390	<b>302</b>
<b>620</b>	10	6.6	90.0		4965	1700	
<b>660</b>	15	4.9	60.0		5684	1700	
<b>630</b>	20	3.6	45.0		6256	1700	
<b>660</b>	25	3.1	36.0		6739	1700	
<b>730</b>	30	3.0	30.0		7161	1700	
<b>690</b>	40	2.2	22.5		7882	1700	
<b>680</b>	50	1.8	18.0		8491	1700	
<b>620</b>	60	1.4	15.0		9023	1700	
<b>540</b>	80	1.0	11.3		9931	1700	
<b>490</b>	100	0.80	9.0		10320	1700	
<b>650</b>	7.5	9.2	120.0	<b>NRV110</b>	4511	1390	<b>302</b>
<b>713</b>	10	7.6	90.0		4965	1700	
<b>759</b>	15	5.6	60.0		5684	1700	
<b>725</b>	20	4.1	45.0		6256	1700	
<b>759</b>	25	3.5	36.0		6739	1700	
<b>840</b>	30	3.5	30.0		7161	1700	
<b>794</b>	40	2.5	22.5		7882	1700	
<b>748</b>	50	2.0	18.0		8491	1700	
<b>682</b>	60	1.6	15.0		9023	1700	
<b>567</b>	80	1.1	11.3		9931	1700	
<b>515</b>	100	0.84	9.0		10320	1700	
<b>880</b>	7.5	12.3	120.0	<b>NRV130</b>	5901	1740	<b>302</b>
<b>960</b>	10	10.3	90.0		6494	2100	
<b>1060</b>	15	7.8	60.0		7434	2100	
<b>1040</b>	20	5.8	45.0		8182	2100	
<b>1050</b>	25	4.8	36.0		8814	2100	
<b>1170</b>	30	4.7	30.0		9366	2100	
<b>1100</b>	40	3.5	22.5		10309	2100	
<b>1050</b>	50	2.7	18.0		11105	2100	
<b>940</b>	60	2.1	15.0		11801	2100	
<b>860</b>	80	1.6	11.3		12989	2100	
<b>780</b>	100	1.2	9.0		13500	2100	
<b>1400</b>	7.5	19.5	120.0	<b>NRV150</b>	8067	2270	<b>302</b>
<b>1480</b>	10	15.7	90.0		8878	2700	
<b>1450</b>	15	10.5	60.0		10163	2645	
<b>1500</b>	20	8.4	45.0		11186	2800	
<b>1380</b>	25	6.3	36.0		12050	2800	
<b>1400</b>	30	5.4	30.0		12805	2800	
<b>1800</b>	40	5.7	22.5		14094	2800	
<b>1600</b>	50	4.1	18.0		15182	2800	
<b>1440</b>	60	3.2	15.0		16133	2800	
<b>1300</b>	80	2.4	11.3		17757	2800	
<b>1150</b>	100	1.8	9.0		18000	2800	





**NRV Prestazioni / Performance / Leistungen / Performances / Prestaciones**

**(n1=500)**

<b>M2 (Nm)</b>	<b>i</b>	<b>P1 (kW)</b>	<b>n2 (1/min)</b>	<b>Grandezza, Size, Größe, Taille, Tamaño</b>	<b>Fr2 (N)</b>	<b>Fr1 (N)</b>	
<b>24</b>	5	0.30	100.0	<b>NRV030</b>	841	210	<b>302</b>
<b>24</b>	7.5	0.21	66.7		963	210	
<b>24</b>	10	0.16	50.0		1060	210	
<b>24</b>	15	0.12	33.3		1213	210	
<b>23</b>	20	0.09	25.0		1336	210	
<b>29</b>	25	0.10	20.0		1439	210	
<b>26</b>	30	0.08	16.7		1529	210	
<b>23</b>	40	0.06	12.5		1683	210	
<b>21</b>	50	0.05	10.0		1813	210	
<b>19</b>	60	0.04	8.3		1830	210	
<b>17</b>	80	0.03	6.3		1830	210	
<b>49</b>	5	0.60	100.0	<b>NRV040</b>	1619	350	<b>302</b>
<b>54</b>	7.5	0.45	66.7		1853	350	
<b>54</b>	10	0.35	50.0		2040	350	
<b>55</b>	15	0.26	33.3		2335	350	
<b>52</b>	20	0.19	25.0		2570	350	
<b>49</b>	25	0.15	20.0		2769	350	
<b>58</b>	30	0.16	16.7		2942	350	
<b>53</b>	40	0.12	12.5		3238	350	
<b>49</b>	50	0.10	10.0		3488	350	
<b>46</b>	60	0.08	8.3		3490	350	
<b>40</b>	80	0.06	6.3		3490	350	
<b>36</b>	100	0.05	5.0	3490	350		
<b>92</b>	5	1.1	100.0	<b>NRV050</b>	2222	490	<b>302</b>
<b>103</b>	7.5	0.86	66.7		2544	490	
<b>103</b>	10	0.67	50.0		2800	490	
<b>103</b>	15	0.47	33.3		3205	490	
<b>93</b>	20	0.33	25.0		3528	490	
<b>91</b>	25	0.28	20.0		3800	490	
<b>108</b>	30	0.29	16.7		4038	490	
<b>98</b>	40	0.22	12.5		4445	490	
<b>91</b>	50	0.17	10.0		4788	490	
<b>83</b>	60	0.14	8.3		4840	490	
<b>75</b>	80	0.11	6.3		4840	490	
<b>65</b>	100	0.09	5.0	4840	490		
<b>184</b>	7.5	1.5	66.7	<b>NRV063</b>	3325	700	<b>302</b>
<b>185</b>	10	1.2	50.0		3660	700	
<b>187</b>	15	0.85	33.3		4190	700	
<b>178</b>	20	0.63	25.0		4611	700	
<b>164</b>	25	0.48	20.0		4967	700	
<b>200</b>	30	0.54	16.7		5279	700	
<b>185</b>	40	0.40	12.5		5810	700	
<b>173</b>	50	0.32	10.0		6259	700	
<b>160</b>	60	0.26	8.3		6270	700	
<b>137</b>	80	0.19	6.3		6270	700	
<b>128</b>	100	0.16	5.0		6270	700	
<b>260</b>	7.5	2.1	66.7	<b>NRV075</b>	3925	980	<b>302</b>
<b>270</b>	10	1.7	50.0		4320	980	
<b>280</b>	15	1.2	33.3		4945	980	
<b>285</b>	20	0.98	25.0		5443	980	
<b>255</b>	25	0.73	20.0		5863	980	
<b>300</b>	30	0.77	16.7		6231	980	
<b>280</b>	40	0.58	12.5		6858	980	
<b>250</b>	50	0.44	10.0		7380	980	
<b>240</b>	60	0.37	8.3		7380	980	
<b>215</b>	80	0.29	6.3		7380	980	
<b>210</b>	100	0.24	5.0		7380	980	


**(n1=500)**


<b>M2</b> (Nm)	<b>i</b>	<b>P1</b> (kW)	<b>n2</b> (1/min)	Grandezza, Size, Größe, Taille, Tamaño	<b>Fr2</b> (N)	<b>Fr1</b> (N)	
<b>410</b>	7.5	3.3	66.7	<b>NRV090</b>	4343	1270	<b>302</b>
<b>435</b>	10	2.7	50.0		4780	1270	
<b>490</b>	15	2.1	33.3		5472	1270	
<b>470</b>	20	1.6	25.0		6022	1270	
<b>440</b>	25	1.2	20.0		6487	1270	
<b>550</b>	30	1.4	16.7		6894	1270	
<b>480</b>	40	0.95	12.5		7588	1270	
<b>450</b>	50	0.75	10.0		8174	1270	
<b>400</b>	60	0.59	8.3		8180	1270	
<b>365</b>	80	0.45	6.3		8180	1270	
<b>330</b>	100	0.35	5.0		8180	1270	
<b>690</b>	7.5	5.5	66.7	<b>NRV105</b>	5488	1700	<b>302</b>
<b>740</b>	10	4.6	50.0		6040	1700	
<b>790</b>	15	3.4	33.3		6914	1700	
<b>750</b>	20	2.5	25.0		7610	1700	
<b>790</b>	25	2.1	20.0		8198	1700	
<b>870</b>	30	2.1	16.7		8711	1700	
<b>810</b>	40	1.5	12.5		9588	1700	
<b>800</b>	50	1.3	10.0		10320	1700	
<b>710</b>	60	0.98	8.3		10320	1700	
<b>630</b>	80	0.72	6.3		10320	1700	
<b>570</b>	100	0.56	5.0		10320	1700	
<b>794</b>	7.5	6.4	66.7	<b>NRV110</b>	5488	1700	<b>302</b>
<b>851</b>	10	5.2	50.0		6040	1700	
<b>909</b>	15	3.9	33.3		6914	1700	
<b>863</b>	20	2.8	25.0		7610	1700	
<b>909</b>	25	2.4	20.0		8198	1700	
<b>1000</b>	30	2.4	16.7		8711	1700	
<b>932</b>	40	1.7	12.5		9588	1700	
<b>880</b>	50	1.4	10.0		10320	1700	
<b>781</b>	60	1.1	8.3		10320	1700	
<b>662</b>	80	0.76	6.3		10320	1700	
<b>599</b>	100	0.59	5.0		10320	1700	
<b>1080</b>	7.5	8.6	66.7	<b>NRV130</b>	7178	2100	<b>302</b>
<b>1160</b>	10	7.1	50.0		7900	2100	
<b>1300</b>	15	5.5	33.3		9043	2100	
<b>1230</b>	20	4.0	25.0		9953	2100	
<b>1200</b>	25	3.2	20.0		10722	2100	
<b>1400</b>	30	3.3	16.7		11394	2100	
<b>1300</b>	40	2.4	12.5		12540	2100	
<b>1220</b>	50	1.9	10.0		13500	2100	
<b>1070</b>	60	1.5	8.3		13500	2100	
<b>970</b>	80	1.1	6.3		13500	2100	
<b>860</b>	100	0.85	5.0		13500	2100	
<b>1700</b>	7.5	13.5	66.7	<b>NRV150</b>	9812	2800	<b>302</b>
<b>1780</b>	10	10.7	50.0		10800	2800	
<b>1730</b>	15	7.2	33.3		12363	2800	
<b>1820</b>	20	5.9	25.0		13607	2800	
<b>1630</b>	25	4.3	20.0		14658	2800	
<b>1670</b>	30	3.8	16.7		15576	2800	
<b>2120</b>	40	3.9	12.5		17144	2800	
<b>1870</b>	50	2.9	10.0		18000	2800	
<b>1680</b>	60	2.3	8.3		18000	2800	
<b>1530</b>	80	1.7	6.3		18000	2800	
<b>1350</b>	100	1.3	5.0		18000	2800	




**NRV** Prestazioni / Performance / Leistungen / Performances / Prestaciones

**NRV/NMRV (n1=1400)**

<b>M2</b> (Nm)	<b>i</b>	<b>P1</b> (kW)	<b>n2</b> (1/min)	Grandezza, Size, Größe, Taille, Tamaño	<b>Fr2</b> (N)	<b>Fr1</b> (N)	
<b>73</b>	300	0.08	4.7	<b>NRV030/040</b>	3490	210	<b>302</b>
<b>65</b>	400	0.06	3.5				
<b>61</b>	500	0.04	2.8				
<b>73</b>	600	0.04	2.3				
<b>73</b>	750	0.04	1.9				
<b>73</b>	900	0.03	1.6				
<b>65</b>	1200	0.02	1.2				
<b>73</b>	1500	0.02	0.9				
<b>73</b>	1800	0.02	0.8				
<b>65</b>	2400	0.01	0.58				
<b>65</b>	3200	0.01	0.4				
<b>33</b>	4000	0.01	0.4				
<b>29</b>	5000	0.01	0.28				
<b>145</b>	300	0.15	4.7		<b>NRV030/050</b>	4840	
<b>124</b>	400	0.10	3.5				
<b>120</b>	500	0.09	2.8				
<b>145</b>	600	0.08	2.3				
<b>145</b>	750	0.07	1.9				
<b>145</b>	900	0.06	1.6				
<b>124</b>	1200	0.04	1.2				
<b>145</b>	1500	0.04	0.93				
<b>145</b>	1800	0.04	0.78				
<b>124</b>	2400	0.03	0.6				
<b>120</b>	3000	0.02	0.5				
<b>82</b>	4000	0.02	0.35				
<b>82</b>	4800	0.02	0.29				
<b>230</b>	300	0.24	4.7	<b>NRV030/063</b>		6270	210
<b>230</b>	400	0.19	3.5				
<b>216</b>	500	0.15	2.8				
<b>230</b>	600	0.13	2.3				
<b>216</b>	750	0.11	1.9				
<b>198</b>	900	0.09	1.6				
<b>230</b>	1200	0.08	1.2				
<b>216</b>	1500	0.06	0.93				
<b>198</b>	1800	0.05	0.78				
<b>230</b>	2400	0.05	0.58				
<b>216</b>	3000	0.04	0.47				
<b>172</b>	4000	0.03	0.35				
<b>150</b>	5000	0.02	0.28				
<b>390</b>	300	0.36	4.7		<b>NRV040/075</b>	7380	350
<b>360</b>	400	0.27	3.5				
<b>320</b>	500	0.21	2.8				
<b>390</b>	600	0.19	2.3				
<b>390</b>	750	0.16	1.9				
<b>390</b>	900	0.14	1.6				
<b>360</b>	1200	0.11	1.2				
<b>390</b>	1500	0.10	0.93				
<b>390</b>	1800	0.09	0.78				
<b>360</b>	2400	0.07	0.58				
<b>320</b>	3000	0.05	0.47				
<b>250</b>	4000	0.04	0.35				
<b>230</b>	5000	0.03	0.28				
<b>610</b>	300	0.56	4.7	<b>NRV040/090</b>		8180	350
<b>610</b>	400	0.43	3.5				
<b>560</b>	500	0.34	2.8				
<b>610</b>	600	0.30	2.3				
<b>560</b>	750	0.23	1.9				
<b>505</b>	900	0.19	1.6				
<b>610</b>	1200	0.17	1.2				
<b>560</b>	1500	0.14	0.93				


**NRV/NMRV (n1=1400)**

<b>M2 (Nm)</b>	<b>i</b>	<b>P1 (kW)</b>	<b>n2 (1/min)</b>	<b>Grandezza, Size, Größe, Taille, Tamaño</b>	<b>Fr2 (N)</b>	<b>Fr1 (N)</b>			
<b>505</b>	1800	0.11	0.78	<b>NRV040/090</b>	8180	350	<b>302</b>		
<b>610</b>	2400	0.11	0.58		8180	350			
<b>560</b>	3000	0.08	0.47		8180	350			
<b>460</b>	4000	0.08	0.35		8180	350			
<b>410</b>	5000	0.06	0.28		8180	350			
<b>1100</b>	300	0.95	4.7	<b>NRV050/105</b>	10320	490	<b>302</b>		
<b>1030</b>	400	0.69	3.5		10320	490			
<b>1000</b>	500	0.56	2.8		10320	490			
<b>1030</b>	600	0.48	2.3		10320	490			
<b>1100</b>	750	0.43	1.9		10320	490			
<b>1100</b>	900	0.38	1.6		10320	490			
<b>1030</b>	1200	0.27	1.2		10320	490			
<b>1100</b>	1500	0.26	0.93		10320	490			
<b>1100</b>	1800	0.23	0.78		10320	490			
<b>1030</b>	2400	0.17	0.58		10320	490			
<b>1000</b>	3000	0.14	0.47		10320	490			
<b>780</b>	4000	0.12	0.35		10320	490			
<b>710</b>	5000	0.09	0.28		10320	490			
<b>1265</b>	300	1.1	4.7		<b>NRV050/110</b>	10320		490	<b>302</b>
<b>1185</b>	400	0.79	3.5			10320		490	
<b>1100</b>	500	0.61	2.8	10320		490			
<b>1185</b>	600	0.55	2.3	10320		490			
<b>1265</b>	750	0.49	1.9	10320		490			
<b>1265</b>	900	0.43	1.6	10320		490			
<b>1185</b>	1200	0.31	1.2	10320		490			
<b>1265</b>	1500	0.30	0.93	10320		490			
<b>1265</b>	1800	0.26	0.78	10320		490			
<b>1185</b>	2400	0.19	0.58	10320		490			
<b>1100</b>	3000	0.15	0.47	10320		490			
<b>819</b>	4000	0.13	0.35	10320		490			
<b>746</b>	5000	0.10	0.28	10320		490			
<b>1760</b>	300	1.5	4.7	<b>NRV063/130</b>		13500	700	<b>302</b>	
<b>1650</b>	400	1.1	3.5			13500	700		
<b>1550</b>	500	0.86	2.8		13500	700			
<b>1650</b>	600	0.76	2.3		13500	700			
<b>1760</b>	750	0.66	1.9		13500	700			
<b>1760</b>	900	0.58	1.6		13500	700			
<b>1650</b>	1200	0.43	1.2		13500	700			
<b>1760</b>	1500	0.39	0.93		13500	700			
<b>1760</b>	1800	0.35	0.78		13500	700			
<b>1650</b>	2400	0.25	0.58		13500	700			
<b>1550</b>	3000	0.20	0.47		13500	700			
<b>1220</b>	4000	0.15	0.35		13500	700			
<b>1100</b>	5000	0.11	0.28		13500	700			
<b>2340</b>	150	3.4	9.3		<b>NRV063/150</b>	18000	700		<b>302</b>
<b>2340</b>	200	2.7	7.0			18000	700		
<b>2050</b>	250	1.9	5.6	18000		700			
<b>2340</b>	300	1.9	4.7	18000		700			
<b>2670</b>	400	1.8	3.5	18000		700			
<b>2330</b>	500	1.4	2.8	18000		700			
<b>2670</b>	600	1.3	2.3	18000		700			
<b>2330</b>	750	0.98	1.9	18000		700			
<b>2100</b>	900	0.71	1.6	18000		700			
<b>2670</b>	1200	0.75	1.2	18000		700			
<b>2100</b>	1800	0.44	0.8	18000		700			
<b>2670</b>	2400	0.46	0.6	18000		700			
<b>2330</b>	3000	0.34	0.5	18000		700			
<b>1880</b>	4000	0.23	0.4	18000		700			
<b>1650</b>	5000	0.18	0.3	18000		700			